

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
P.O. BOX 4267
00936 SAN JUAN
Puerto Rico
Mr. M. Rios
VB-TANK INVENTORY-2-22 / 06075



Job No 13101/00016548.0000/01/I/22
Report date 01 Mar 2022
Installation Vega Baja, Puerto Rico, PREPA Vega Baja Turbine Power Block

Shore tank VB-TANK INVENTORY-2-22
Product No 2 FUEL OIL

Survey date: 28-Mar-2022

Contents page

Saybolt LP - Puerto Rico Branch has performed a survey of the above mentioned object, the findings of the survey are reflected in the following reports:

| Title | Number of Pages |
|--------------------------------|-----------------|
| Contents page | one |
| Shore Tank Measurement Details | one |
| Shore Tank Inventory Report | one |
| Shore Tank Inventory Subtotals | one |
| Certificate of Quantity | one |

This report consists of 5 pages.

A copy of this report and all field documents and related correspondence will be retained for a period of 10 years, unless local law requires otherwise

Handled by: Jose Flores

This report reflects only the findings at the time and place of the inspection and testing. This report is not a guarantee or policy of insurance with respect to the goods or the contractual performance of any party. Any person relying upon this report should be aware that issuer's activities are carried out under their general terms and conditions.

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 P.O. BOX 4267
 00936 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 VB-TANK INVENTORY-2-22 / 06075



Job No 13101/00016548.0000/01/I/22
 Report date 01 Mar 2022
 Installation Vega Baja, Puerto Rico, PREPA Vega Baja Turbine Power Block

Shore tank VB-TANK INVENTORY-2-22
Product No 2 FUEL OIL

Shore Tank Measurement Details

Survey date: 28-Mar-2022

Shore tank S-1

| Measurement data (Innage) | | Open | Close |
|--|-------|---------------------------------|-------|
| Average | FT/IN | 32-4-7/8 | |
| Temperature | | | |
| Average temp. | °F | 77.5 | |
| Measurement Equipment Data | | | |
| Water measurement used | | Paste | |
| Water paste used | | k/k | |
| Gauging equipment type | | Saybolt Equipment | |
| Gauging Equipment used | | Manual Tape | |
| Gauging equipment number | | CS51010 | |
| Temperature equipment type | | Saybolt Equipment | |
| Temperature Equipment used | | Portable Electronic Thermometer | |
| Temperature equipment number | | TP9A-9772 | |
| Inspector Equipment used for verification? | | Yes | |
| Inspector name | | Jose Flores | |

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 P.O. BOX 4267
 00936 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 VB-TANK INVENTORY-2-22 / 06075



Job No 13101/00016548.0000/01/I/22
 Report date 01 Mar 2022
 Installation Vega Baja, Puerto Rico, PREPA Vega Baja Turbine Power Block

Shore tank VB-TANK INVENTORY-2-22
Product No 2 FUEL OIL

Shore Tank Inventory Report

| Shore tank measurement | | Totals | S-1 |
|--------------------------|------------------|-------------|--------------|
| Open measurement | | | |
| Date/time of measurement | | 28 Mar 2022 | 18:20 |
| Average Innage | FT/IN | | 32-4-7/8 |
| Average temp. | °F | | 77.5 |
| T.O.V. | Barrels | | 5,510.52 |
| Ambient temp. | °F | | 72.00 |
| Tank shell temp. | °F | | 77.00 |
| CTsh | | | 1.00021 |
| G.O.V. | Barrels | | 5,511.68 |
| API 60°F | | | 37.80 |
| V.C.F. | 6B | | 0.99169 |
| G.S.V. | barrels 60°F | | 5,465.88 |
| W.C.F. | MPMS 11.5.1.4.12 | | 0.1304852706 |
| W.C.F. | MPMS 11.5.1.4.15 | | 0.1325791558 |
| Long Tons | | | 713.217 |
| Metric Tons Air | | | 724.662 |
| Subtotals | | | |
| G.S.V. | barrels 60°F | 5,465.88 | 5,465.88 |
| Long Tons | | 713.217 | 713.217 |

Remarks
 Tables used: 6B and W.C.F. MPMS 11.5.1.4.12.

Net calculation via S&W% (API MPMS 12.1)

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 P.O. BOX 4267
 00936 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 VB-TANK INVENTORY-2-22 / 06075



Job No 13101/00016548.0000/01/I/22
 Report date 01 Mar 2022
 Installation Vega Baja, Puerto Rico, PREPA Vega Baja Turbine Power Block

Shore tank VB-TANK INVENTORY-2-22
Product No 2 FUEL OIL

Shore Tank Inventory Subtotals

| Shore tank Subtotals | Totals | S-1 |
|--------------------------------|--------------|--------------|
| Gross Standard Volume | | |
| Cu m 60°F | 869.006 | 869.006 |
| Barrels 60°F | 5,465.88 | 5,465.88 |
| US gallons 60°F | 229,566.96 | 229,566.96 |
| Metric Tons Vac | 725.595 | 725.595 |
| Metric Tons Air | 724.662 | 724.662 |
| Long Tons Air | 713.217 | 713.217 |
| Short Tons Air | 798.803 | 798.803 |
| Pounds Air | 1,597,606.00 | 1,597,606.00 |
| | | |
| Density 15°C | | 0.8354 |
| API 60°F | | 37.80 |
| RD 60/60° | | 0.8358 |
| Total Calculated Volume | | |
| Barrels 60°F | 5,465.88 | 5,465.88 |
| US gallons 60°F | 229,566.96 | 229,566.96 |

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
P.O. BOX 4267
00936 SAN JUAN
Puerto Rico
Mr. M. Rios
VB-TANK INVENTORY-2-22 / 06075



Job No 13101/00016548.0000/01/I/22
Report date 01 Mar 2022
Installation Vega Baja, Puerto Rico, PREPA Vega Baja Turbine Power Block

Shore tank VB-TANK INVENTORY-2-22
Product No 2 FUEL OIL

Survey date: 28 Mar 2022

Certificate of Quantity

The undersigned Independent Saybolt Surveyor herewith declares that the quantity of product measured amounts to:

| | Gross | Net |
|-------------------|--------------|--------------|
| Cubic meters 60°F | 869.006 | 869.006 |
| Barrels 60°F | 5,465.88 | 5,465.88 |
| US Gallons 60°F | 229,566.96 | 229,566.96 |
| Metric Tons vac | 725.595 | 725.595 |
| Metric Tons air | 724.662 | 724.662 |
| Long Tons | 713.217 | 713.217 |
| Short Tons | 798.803 | 798.803 |
| Pounds | 1,597,606.00 | 1,597,606.00 |

These quantities have been determined by measurement of shore tanks.

| | |
|------------------|--------|
| B/L API 60°F | 37.80 |
| B/L Density 15°C | 0.8354 |
| B/L Density 20°C | 0.8318 |
| B/L RD 60/60°F | 0.8358 |

Criteria used

| | | |
|------------------------------------|---------------------|--------------|
| US Barrels 60°F to Cu m 60°F | MPMS 11.5 - Annex D | 0.158987304 |
| US Barrels 60°F to US Gallons 60°F | MPMS 11.5 - Annex D | 42 |
| Metric Tons Air to Metric Tons Vac | MPMS 11.5.3 - 4.5 | 1.001287458 |
| Barrels 60°F to Metric Tons Air | MPMS 11.5.1 - 4.15 | 0.1325791558 |
| Barrels 60°F to Long Tons | MPMS 11.5.1 - 4.12 | 0.1304852706 |
| Long Tons to Short Tons | MPMS 11.5 - Annex D | 1.12 |

Remark

Net via S&W Volume %

Signed by: Saybolt representative
Name:
Rank: Saybolt Inspector