



PREPA AGUIRRE INVENTORY
AS PER API CHAP: 3,7,8,12,17

DATE: 'MAY 31, 2025
RECORD NO.: GA025239

PREPA SHIPMENT NO. AG-TANK INVENTORY-5-25

TANK	DATE	TIME	GAUGE	GROSS VOLUME	WATER GAUGE	VOLUME	LIQ.TEMP.	API	AMB. TEMP.
NO 6 FUEL OIL									
R-1	05/31/25	1830	41' 04 7/8"	276,292.99	00' 00"	0.00	88.5	18.0	79.0
R-3	05/31/25	1850	38' 10 1/4"	259,474.86	00' 00"	0.00	87.2	17.5	79.0
S-1	05/31/25	1645	05' 05 3/8"	31,519.52	00' 00"	0.00	84.0	19.4	79.0
S-2	05/31/25	1700	12' 06"	25,163.42	00' 00"	0.00	84.0	18.6	79.0
NO 2 DESTILLATE FUEL OIL									
D-1	05/31/25	1730	07' 07 3/4"	5,202.40	00' 06"	302.90	82.2	34.7	82.0
D-2	05/31/25	2350	24' 08 7/8"	17,140.31	00' 10 7/16"	760.07	83.1	34.0	79.0
D-4	05/31/25	1915	17' 06 1/4"	12,007.38	00' 00 3/8"	21.42	85.0	33.3	80.0
R-1	05/31/25	1830	27' 10"	24,685.15	00' 03 1/4"	113.14	84.3	35.5	83.0
R-2	05/31/25	1850	38' 06 3/4"	34,368.70	00' 02 7/8"	77.39	83.9	35.2	83.0
R-6	05/31/25	1625	30' 11 3/16"	206,069.91	00' 00"	0.00	85.4	35.3	82.0
TG-1	05/31/25	1700	29' 05"	10,334.40	00' 00"	0.00	87.0	38.3	83.0
TG-2	05/31/25	1720	33' 00 1/4"	5,587.86	00' 06"	78.48	86.8	39.2	83.0

06/03/25 @1404 Shore Figures confirmed with Neftali Soto of PREPA Aguirre Terminal


 ALTOL PETROLEUM PROD. SERVICES, INC.
 BRENDA REYES-MARTINEZ
 INSPECTION SERVICES SUPERVISOR

228 Parque Industrial Sabanetas
Ponce, PR 00716-4401
Tel. 787-835-4242, Fax 787-835-2004



Calle Gregorio Ledesma, HN 55, Levittown
Toa Baja, P. R. 00949
Tel. 787-784-1112, Fax 787-784-1115

REPORT OF SHORE QUANTITY


AS PER API CHAP: 3,7,8,12,17

PREPA SHIPMENT NO. AG-TANK INVENTORY-5-25

					RECORD NO. : GA025239					DATE: MAY 31, 2025				
EVENT: END OF MONTH INVENTORY GAUGE					CONSIGNOR : PUERTO RICO ELECTRIC POWER AUTHORITY					PORT/TERMINAL : SALINAS, PUERTO RICO				
PRODUCT : NO. 6 FUEL OIL					CONSIGNEE : PUERTO RICO ELECTRIC POWER AUTHORITY					DESTINATION : PREPA AGUIRRE TERMINAL				
TANK			INNAGE ULLAGE (FT/M)	TOTAL OBSERVED VOLUME (TOV)	FREE WATER = (FW)		TEMP. CORR. SHELL CTSh	ROOF CORR. (+ / -) (FRA)	GROSS OBSERVED VOLUME (GOV)	A P I @ 60°F	AMB. TEMP. (°F/°C)	OBS. TEMP. (°F/°C)	V.C.F. TABLE (CTL)	GROSS STANDARD VOLUME (GSV)
NO.	DATE	TIME			INNAGE (FT/M)	VOLUME (BBLS/M3)								
R-1	05/31/25	1830	41' 04 7/8"	276,292.99	00' 00"	0.00	1.00033	0.00	276,384.17	18.0	79.0	88.5	0.98851	273,208.52
TOTAL DELIVERED THIS TANK														
R-3	05/31/25	1850	38' 10 1/4"	259,474.86	00' 00"	0.00	1.00032	0.00	259,557.89	17.5	79.0	87.2	0.98908	256,723.52
Ullage TOTAL DELIVERED THIS TANK														
S-1	05/31/25	1645	05' 05 3/8"	31,519.52	00' 00"	0.00	1.00028	0.00	31,528.35	19.4	79.0	84.0	0.99021	31,219.69
Ullage TOTAL DELIVERED THIS TANK														
S-2	05/31/25	1700	12' 06"	25,163.42	00' 00"	0.00	1.00029	0.00	25,170.72	18.6	79.0	84.0	0.99028	24,926.06
TOTAL DELIVERED THIS TANK														

TANKS NO.	R-1		R-3		S-1		S-2				TOTAL CARGO
NET BARRELS AT 60F	273,208.52		256,723.52		31,219.69		24,926.06				586,077.79
NET GALLONS AT 60F	11,474,757.84		10,782,387.84		1,311,226.98		1,046,894.52				24,615,267.18
POUNDS/GALS											
POUNDS	90,445,577.60		85,269,990.40		10,238,748.80		8,218,828.80				194,173,145.60
LONG TONS	40,377.49		38,066.96		4,570.87		3,669.12				86,684.44
METRIC TONS	41,024.99		38,677.97		4,644.24		3,727.94				88,075.14
CUBIC METERS	0.14779	0.15016	0.14828	0.15066	0.14641	0.14876	0.14720	0.14956			
SHORE PIPELINES : COMMENCED : FINISHED :											
VESSEL TANKS :											

FORM AL04-08/95


ALTOL PETROLEUM PROD. SERVICES, INC.
BRENDA REYES-MARTINEZ
INSPECTION SERVICES SUPERVISOR

228 Parque Industrial Sabanetas
Ponce, PR 00716-4401
Tel. 787-835-4242, Fax 787-835-2004



Calle Gregorio Ledesma, HN 55, Levittown
Toa Baja, P. R. 00949
Tel. 787-784-1112, Fax 787-784-1115

REPORT OF SHORE QUANTITY

AS PER API CHAP: 3,7,8,12,17


PREPA SHIPMENT NO. AG-TANK INVENTORY-5-25

PAGE 1 OF 3

EVENT: END OF MONTH INVENTORY GAUGE					RECORD NO.: GA025239					DATE: MAY 31, 2025				
PRODUCT: NO. 2 FUEL OIL (COMBINED CYCLE)					CONSIGNOR: PUERTO RICO ELECTRIC POWER AUTHORITY					PORT/TERMINAL: SALINAS, PUERTO RICO				
					CONSIGNEE: PUERTO RICO ELECTRIC POWER AUTHORITY					DESTINATION: PREPA AGUIRRE TERMINAL				
TANK NO.	DATE	TIME	INNAGE ULLAGE (FT/M)	TOTAL OBSERVED VOLUME BARRELS	FREE WATER = (FW)		TEMP. CORR. SHELL CTSh	ROOF CORR. (+/-) (FRA)	GROSS OBSERVED VOLUME BARRELS	API @ 60°F	AMB. TEMP. (°F/°C)	OBS. TEMP. (°F/°C)	V.C.F. TABLE (CTL)	GROSS STANDARD VOLUME BARRELS
D-1	05/31/25	1730	07' 07 3/4"	5,202.40	00' 06"	302.90	1.00028	0.00	4,900.87	34.7	82.0	82.2	0.98973	4,850.54
TOTAL DELIVERED THIS TANK														
D-2	05/31/25	2350	24' 08 7/8"	17,140.31	00' 10 7/16"	760.07	1.00029	0.00	16,384.99	34.0	79.0	83.1	0.98937	16,210.82
TOTAL DELIVERED THIS TANK														
D-4	05/31/25	1915	17' 06 1/4"	12,007.38	00' 00 3/8"	21.42	1.00030	0.00	11,989.56	33.3	80.0	85.0	0.98856	11,852.40
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														

TANKS NO.	D-1	D-2	D-4			GRAND TOTAL
NET BARRELS AT 60F	4,850.54	16,210.82	11,852.40			32,913.76
NET GALLONS AT 60F	203,722.68	680,854.44	497,800.80			1,382,377.92
POUNDS/GALS						
POUNDS	1,444,195.20	4,846,956.80	3,558,934.40			9,850,086.40
LONG TONS	644.73	2,163.82	1,588.81			4,397.36
METRIC TONS	655.07	2,198.51	1,614.30			4,467.88
CUBIC METERS	0.13292 0.13505	0.13348 0.13562	0.13405 0.13620			
SHORE PIPELINES :						

FORM AL04-08/95


ALTOL PETROLEUM PROD. SERVICES, INC.
BRENDA REYES-MARTINEZ
INSPECTION SERVICES SUPERVISOR

228 Parque Industrial Sabanetas
Ponce, PR 00716-4401
Tel. 787-835-4242, Fax 787-835-2004



Calle Gregorio Ledesma, HN 55, Levittown
Toa Baja, P. R. 00949
Tel. 787-784-1112, Fax 787-784-1115

REPORT OF SHORE QUANTITY

AS PER API CHAP: 3,7,8,12,17


PAGE 2 OF 3

PREPA SHIPMENT NO. AG-TANK INVENTORY-5-25

EVENT: END OF MONTH INVENTORY GAUGE					RECORD NO.: GA025239					DATE: MAY 31, 2025				
PRODUCT: NO. 2 DESTILATE FUEL OIL					CONSIGNOR: PUERTO RICO ELECTRIC POWER AUTHORITY					PORT/TERMINAL: SALINAS, PUERTO RICO				
					CONSIGNEE: PUERTO RICO ELECTRIC POWER AUTHORITY					DESTINATION: PREPA AGUIRRE TERMINAL				
TANK NO.	DATE	TIME	INNAGE ULLAGE (FT/M)	TOTAL OBSERVED VOLUME BARRELS	FREE WATER = (FW)		TEMP. CORR. SHELL CTSh	ROOF CORR. (+/-) (FRA)	GROSS OBSERVED VOLUME BARRELS	A P I @ 60°F	AMB. TEMP. (°F/°C)	OBS. TEMP. (°F/°C)	V.C.F. TABLE (CTL)	GROSS STANDARD VOLUME BARRELS
R-1	05/31/25	1830	27' 10"	24,685.15	00' 03 1/4"	113.14	1.00029	0.00	24,579.14	35.5	83.0	84.3	0.98868	24,412.80
TOTAL DELIVERED THIS TANK														
R-2	05/31/25	1850	38' 06 3/4"	34,368.70	00' 02 7/8"	77.40	1.00030	0.00	34,301.59	35.2	83.0	83.9	0.98890	33,920.84
TOTAL DELIVERED THIS TANK														
R-6	05/31/25	1625	30' 11 3/16"	206,069.91	00' 00"	0.00	1.00030	0.00	206,131.73	35.3	82.0	85.4	0.98819	203,697.31
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														

TANKS NO.	R-1		R-2		R-6		TOTAL CARGO
NET BARRELS AT 60F	24,412.80		33,920.84		203,697.31		262,030.95
NET GALLONS AT 60F	1,025,337.60		1,424,675.28		8,555,287.02		11,005,299.90
POUNDS/GALS							
POUNDS	7,233,699.20		10,069,225.60		60,429,980.80		77,732,905.60
LONG TONS	3,229.33		4,495.19		26,977.67		34,702.19
METRIC TONS	3,281.08		4,567.44		27,411.55		35,260.07
CUBIC METERS	0.13228	0.13440	0.13252	0.13465	0.13244	0.13457	41,659.597
SHORE PIPELINES :	COMMENCED:		FULL		FINISHED :		FULL
VESSEL TANKS :							

FORM AL04-08/95


ALTOL PETROLEUM PROD. SERVICES, INC.
BRENDA REYES-MARTINEZ
INSPECTION SERVICES SUPERVISOR

228 Parque Industrial Sabanetas
Ponce, PR 00716-4401
Tel. 787-835-4242, Fax 787-835-2004



Calle Gregorio Ledesma, HN 55, Levittown
Toa Baja, P. R. 00949
Tel. 787-784-1112, Fax 787-784-1115

REPORT OF SHORE QUANTITY

AS PER API CHAP: 3,7,8,12,17


PREPA SHIPMENT NO. AG-TANK INVENTORY-5-25

PAGE 3 OF 3

PAGE 3 OF 3					RECORD NO. : GA025239					DATE: 'MAY 31, 2025				
EVENT: END OF MONTH INVENTORY GAUGE					CONSIGNOR : PUERTO RICO ELECTRIC POWER AUTHORITY					PORT/TERMINAL : SALINAS, PUERTO RICO				
PRODUCT : NO. 2 DESTILATE FUEL OIL (TURBINES)					CONSIGNEE : PUERTO RICO ELECTRIC POWER AUTHORITY					DESTINATION : PREPA AGUIRRE TERMINAL				
TANK NO.			INNAGE ULLAGE (FT/M)	TOTAL OBSERVED VOLUME BARRELS	FREE WATER = (FW)		TEMP. CORR. SHELL CTSh	ROOF CORR. (+/-) (FRA)	GROSS OBSERVED VOLUME BARRELS	A P I @ 60°F	AMB. TEMP. (°F/°C)	OBS. TEMP. (°F/°C)	V.C.F. TABLE (CTL)	GROSS STANDARD VOLUME BARRELS
	DATE	TIME			INNAGE (FT/M)	VOLUME (BBLS/M3)								
TG-1	05/31/25	1700	29' 05"	10,334.40	00' 00"	0.00	1.00032	0.00	10,337.71	38.3	83.0	87.0	0.98708	10,204.15
TOTAL DELIVERED THIS TANK														
TG-2	05/31/25	1720	33' 00 1/4"	5,587.86	00' 06"	78.48	1.00032	0.00	5,589.65	39.2	83.0	86.8	0.98704	5,517.21
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														

TANKS NO.	TG-1	TG-2				TOTAL CARGO
NET BARRELS AT 60F	10,204.15	5,517.21				15,721.36
NET GALLONS AT 60F	428,574.30	231,722.82				660,297.12
POUNDS/GALS						
POUNDS	2,973,734.40	1,599,315.20				4,573,049.60
LONG TONS	1,327.56	713.98				2,041.54
METRIC TONS	1,348.78	725.46				2,074.24
CUBIC METERS	0.13010	0.13218	0.12941	0.13149		2,499.497
SHORE PIPELINES :	COMMENCED:		FULL		FINISHED :	FULL
VESSEL TANKS :						

FORM AL04-08/95


ALTOL PETROLEUM PROD. SERVICES, INC.
BRENDA REYES-MARTINEZ
INSPECTION SERVICES SUPERVISOR



Field Inspection Report

Cargo Operation: Inventory

Vessel(s)

Inventory

Product(s)

ULSD

Client(s)

Autoridad De Energia Electrica De Puerto Rico

Reference #

CAM-TANKINVENTORY-05-25

Location(s)

Arecibo | Genera PR - Cambalache

All measurements contained in this report were performed according to the API manual of petroleum measurement standards:

Chapter 3 Tank Gauging; Chapter 7 Temperature Determination; Chapter 8 Sampling; Chapter 12 Calculation of Petroleum Quantities; Chapter 17 Marine Measurement.

All Bureau Veritas measurement devices and methods used for quantity and quality determination meet pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule).

All Operations to be carried out in accordance with Bureau Veritas Commodities Division General Conditions of Service (2014 Edition). An electronic version can also be viewed on our company website: www.bureauveritas.com/terms_and_conditions/index.asp

Reinaldo LUGO
Bureau Veritas Commodities and Trade, Inc

Table of Contents

Shore Tanks Measurements - ULSD

1

RB

Job #: PRPUE-25-00190-1

Date: 31-May-2025

Location(s): Arecibo - Genera PR - Cambalache

Vessel(s): Inventory

Product(s): ULSD

Client(s): Autoridad De Energia Electrica De Puerto Rico-CAM-TANKINVENTORY-05-25

Shore Tanks Measurements

BUREAU
VERITAS

D-1	Crit Zone	Phase	Date/Time	Roof Adj	Amb °F	CTSh Factor	CTSh Bbls	Lines Adj	VCF Table	CoE
		Open	31-May-2025 23:30	N/A	79.0	0.99995	-3.63		6B-60°F	
		Close		N/A					6B-60°F	

Operation Phase	Gauge ft	TOV Barrels	FW Gauge ft	FW Barrels	API-60°F	Temp °F	GOV Barrels	VCF 60°F	GSV Barrels
Open	15-1 3/4	72,842.48	0-1 7/8	234.41	35.1	81.4	72,604.44	0.99007	71,883.48
Close									
Difference		72,842.48		234.41			72,604.44		71,883.48

Adjustments to GSV

71,883.48

D-3	Crit Zone	Phase	Date/Time	Roof Adj	Amb °F	CTSh Factor	CTSh Bbls	Lines Adj	VCF Table	CoE
		Open	01-Jun-2025 00:20	N/A	79.0	0.99996	-3.33		6B-60°F	
		Close		N/A					6B-60°F	

Operation Phase	Gauge ft	TOV Barrels	FW Gauge ft	FW Barrels	API-60°F	Temp °F	GOV Barrels	VCF 60°F	GSV Barrels
Open	10-1	83,575.79	0-2 7/8	348.82	35.4	82.7	83,223.64	0.98944	82,344.80
Close									
Difference		83,575.79		348.82			83,223.64		82,344.80

Adjustments to GSV

82,344.80

Shore Summary

API-60°F	Adjustments (Bbls)			Condition of Shore Lines	Method of Verification	Water Paste Used
	For Meters to GSV	For Lines to GSV	To Water			

35.3

Kolor-Kut

Shore Delivered	Shore Delivered	Total Calculated	Gross Standard
	Cubic Meters 15°C	24,601.746	24,509.063
	Barrels 60°F	154,811.51	154,228.28
	Gallons 60°F	6,502,083.42	6,477,587.76
	Pounds	45,928,567	45,755,537
	Long Tons	20,503.824	20,426.579
	MT (In Air)	20,832.847	20,754.363
	Free Water	583.23	

Density

API 60°F

35.3

Table 8 Lbs/Gal (In Air)

7.063669229

Table 11 LT/Bbl (In Air)

0.1324437981

Table 13 MT/Bbl (In Air)

0.1345691116

Table 13 MT/Bbl (In Vac)

0.1347396012

Date/Time

Date/Time

Date/Time

Reinaldo LUGO

Bureau Veritas Commodities and Trade, Inc

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
CS-TANKINVENTORY-5-25

Digitally Generated by : Saybolt
Reason : Reporting
Location : 13101 Saybolt Puerto Rico - All Activity
Date : 2025.06.06 13:03:39 -04:00



Job No 13101/00018324.0000/01/I/25
Report date 03 Jun 2025
Installation Penuelas, Puerto Rico, Central Costa Sur

Shore tank End of Month Inventory 5/31/2025- COSTA SUR
Product No 2 FUEL OIL, Fuel Oil

Survey date: 31-May-2025, 31-May-2025

Contents page

Saybolt LP (Puerto Rico) has performed a survey and the findings of the survey are reflected in the following reports:

Title	Number of Pages
Contents page	one
Shore Tank Measurement Details	three
Shore Tank Inventory Report	two
Shore Tank Inventory Subtotals	two
Certificate of Quantity	two

This report consists of 10 pages.

A copy of this report and all field documents and related correspondence will be retained for a period of 10 years, unless local law requires otherwise

Handled by: Rafael Rodriguez

This report reflects only the findings at the time and place of the inspection and testing. This report is not a guarantee or policy of insurance with respect to the goods or the contractual performance of any party. Any person relying upon this report should be aware that issuer's activities are carried out under their general terms and conditions.



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
CS-TANKINVENTORY-5-25



Job No 13101/00018324.0000/01/I/25
Report date 03 Jun 2025
Installation Penuelas, Puerto Rico, Central Costa Sur

Shore tank End of Month Inventory 5/31/2025- COSTA SUR
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank R-2

Measurement data (Innage)		Open	Close
Average	FT/IN	07 08-1/4	
Temperature			
Average temp.	°F	94.4	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		52784	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP03415	
Inspector Equipment used for verification?		Yes	
Inspector name		Abizayd Arzola	



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
CS-TANKINVENTORY-5-25



Job No 13101/00018324.0000/01/I/25
Report date 03 Jun 2025
Installation Penuelas, Puerto Rico, Central Costa Sur

Shore tank End of Month Inventory 5/31/2025- COSTA SUR
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank R-3

Measurement data (Innage)		Open	Close
Average	FT/IN	14 11-3/4	
Temperature			
Average temp.	°F	87.8	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		52784	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP03415	
Inspector Equipment used for verification?		Yes	
Inspector name		Abizayd Arzola	

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
CS-TANKINVENTORY-5-25



Job No 13101/00018324.0000/01/I/25
Report date 03 Jun 2025
Installation Penuelas, Puerto Rico, Central Costa Sur

Shore tank End of Month Inventory 5/31/2025- COSTA SUR
Product No 2 FUEL OIL

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank TG-1

Measurement data (Innage)		Open	Close
Average	FT/IN	17 11-7/8	
Temperature			
Average temp.	°F	87.8	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		52784	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP03415	
Inspector Equipment used for verification?		Yes	
Inspector name		Abizayd Arzola	

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 CS-TANKINVENTORY-5-25



Job No 13101/00018324.0000/01/I/25
 Report date 03 Jun 2025
 Installation Penuelas, Puerto Rico, Central Costa Sur

Shore tank End of Month Inventory 5/31/2025- COSTA SUR
Product Fuel Oil

Shore Tank Inventory Report

Survey date: 31-May-2025

Shore tank measurement		Totals	R-2	R-3
Open measurement				
Date/time of measurement		31 May 2025 23:45	01 Jun 2025 00:01	
Average Innage	FT/IN	07 08-1/4	14 11-3/4	
Average temp.	°F	94.4	87.8	
T.O.V.	Barrels	274,467.85	227,084.22	
Free Water		NIL	NIL	
Ambient temp.	°F	76.00	76.00	
Tank shell temp.	°F	92.00	86.00	
CTsh		1.00040	1.00032	
G.O.V.	Barrels	274,577.64	227,156.89	
API 60°F		17.90	18.60	
V.C.F.	6B	0.98613	0.98873	
G.S.V.	barrels 60°F	270,769.25	224,596.83	
W.C.F.	MPMS 11.5.1.4.12	0.1478908376	0.1472002649	
W.C.F.	MPMS 11.5.1.4.15	0.1502640283	0.1495623740	
Long Tons		40,044.291	33,060.713	
Metric Tons Air		40,686.878	33,591.235	
Subtotals				
G.S.V.	barrels 60°F	495,366.08	270,769.25	224,596.83
Long Tons		73,105.004	40,044.291	33,060.713

Remarks

Tables used: 6B and W.C.F. MPMS 11.5.1.4.12.

Net calculation via S&W% (API MPMS 12.1)



Saybolt LP, Route 127 Km 11.7 Magas Arriba, 00656 Guayanilla, Puerto Rico
 Tel. 1-787-835-4784 FAX
 Website: www.saybolt.com E-mail: abizayd.arzola@corelab.com
 All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
SAIL4 STIM V4.2.0.0 2023/10/11

Date: 06 Jun 2025 13:03
 Page 5 of 10

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
CS-TANKINVENTORY-5-25



Job No 13101/00018324.0000/01/I/25
Report date 03 Jun 2025
Installation Penuelas, Puerto Rico, Central Costa Sur

Shore tank End of Month Inventory 5/31/2025- COSTA SUR
Product No 2 FUEL OIL

Shore Tank Inventory Report

Survey date: 31-May-2025

Shore tank measurement		Totals	TG-1
Open measurement			
Date/time of measurement			01 Jun 2025 00:40
Average Innage	FT/IN		17 11-7/8
Average temp.	°F		87.8
T.O.V.	Barrels		3,080.50
Free Water			
Water	FT/IN		00 02-1/2
Water	Barrels		35.64
Ambient temp.	°F		76.00
Tank shell temp.	°F		86.00
CTsh			1.00032
G.O.V.	Barrels		3,045.83
API 60°F			34.60
V.C.F.	6B		0.98714
G.S.V.	barrels 60°F		3,006.66
W.C.F.	MPMS 11.5.1.4.12		0.1330027507
W.C.F.	MPMS 11.5.1.4.15		0.1351370337
Long Tons			399.894
Metric Tons Air			406.311
Subtotals			
G.S.V.	barrels 60°F	3,006.66	3,006.66
Long Tons		399.894	399.894

Remarks

Tables used: 6B and W.C.F. MPMS 11.5.1.4.12.

Net calculation via S&W% (API MPMS 12.1)



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 CS-TANKINVENTORY-5-25



Job No 13101/00018324.0000/01/I/25
 Report date 03 Jun 2025
 Installation Penuelas, Puerto Rico, Central Costa Sur

Shore tank End of Month Inventory 5/31/2025- COSTA SUR
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Inventory Subtotals

Shore tank Subtotals	Totals	R-2	R-3
Gross Standard Volume			
Cu m 60°F	78,756.917	43,048.873	35,708.044
Barrels 60°F	495,366.08	270,769.25	224,596.83
US Gallons 60°F	20,805,375.36	11,372,308.50	9,433,066.86
Metric Tons Vac	74,361.389	40,732.384	33,629.005
Metric Tons Air	74,278.113	40,686.878	33,591.235
Long Tons Air	73,105.004	40,044.291	33,060.713
Short Tons Air	81,877.605	44,849.606	37,027.999
Pounds Air	163,755,210.00	89,699,212.00	74,055,998.00
Density 15°C		0.9466	0.9422
API 60°F		17.90	18.60
RD 60/60°		0.9471	0.9427
Total Calculated Volume			
Barrels 60°F	495,366.08	270,769.25	224,596.83
US Gallons 60°F	20,805,375.36	11,372,308.50	9,433,066.86



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 CS-TANKINVENTORY-5-25



Job No 13101/00018324.0000/01/I/25
 Report date 03 Jun 2025
 Installation Penuelas, Puerto Rico, Central Costa Sur

Shore tank End of Month Inventory 5/31/2025- COSTA SUR
Product No 2 FUEL OIL

Shore Tank Inventory Subtotals

Shore tank Subtotals	Totals	TG-1
Gross Standard Volume		
Cu m 60°F	478.021	478.021
Barrels 60°F	3,006.66	3,006.66
US Gallons 60°F	126,279.72	126,279.72
Metric Tons Vac	406.823	406.823
Metric Tons Air	406.311	406.311
Long Tons Air	399.894	399.894
Short Tons Air	447.881	447.881
Pounds Air	895,762.00	895,762.00
Density 15°C		0.8515
API 60°F		34.60
RD 60/60°		0.8519
Total Calculated Volume		
Barrels 60°F	3,042.30	3,042.30
US Gallons 60°F	127,776.60	127,776.60



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
CS-TANKINVENTORY-5-25



Job No 13101/00018324.0000/01/I/25
Report date 03 Jun 2025
Installation Penuelas, Puerto Rico, Central Costa Sur

Shore tank End of Month Inventory 5/31/2025- COSTA SUR
Product No 2 FUEL OIL

Survey date: 31 May 2025

Certificate of Quantity

The undersigned Independent Saybolt Surveyor herewith declares that the quantity of product measured amounts to:

	Gross	Net
Cubic meters 60°F	478.021	478.021
Barrels 60°F	3,006.66	3,006.66
US Gallons 60°F	126,279.72	126,279.72
Metric Tons vac	406.823	406.823
Metric Tons air	406.311	406.311
Long Tons	399.894	399.894
Short Tons	447.881	447.881
Pounds	895,762.00	895,762.00

These quantities have been determined by measurement of shore tanks.

B/L API 60°F	34.60
B/L Density 15°C	0.8515
B/L Density 20°C	0.8480
B/L RD 60/60°F	0.8519

Criteria used

US Barrels 60°F to Cu m 60°F	MPMS 11.5 - Annex D	0.158987304
US Barrels 60°F to US Gallons 60°F	MPMS 11.5 - Annex D	42
Metric Tons Air to Metric Tons Vac	MPMS 11.5.3 - 4.5	1.001260242
Barrels 60°F to Metric Tons Air	MPMS 11.5.1 - 4.15	0.1351370337
Barrels 60°F to Long Tons	MPMS 11.5.1 - 4.12	0.1330027507
Long Tons to Short Tons	MPMS 11.5 - Annex D	1.12

Remark

Net via S&W Volume %

Signed by: Saybolt representative
Name:
Rank: Saybolt Inspector



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
CS-TANKINVENTORY-5-25



Job No 13101/00018324.0000/01/I/25
Report date 03 Jun 2025
Installation Penuelas, Puerto Rico, Central Costa Sur

Shore tank End of Month Inventory 5/31/2025- COSTA SUR
Product Fuel Oil

Survey date: 31 May 2025

Certificate of Quantity

The undersigned Independent Saybolt Surveyor herewith declares that the quantity of product measured amounts to:

	Gross	Net
Cubic meters 60°F	78,756.917	78,756.917
Barrels 60°F	495,366.08	495,366.08
US Gallons 60°F	20,805,375.36	20,805,375.36
Metric Tons vac	74,361.389	74,361.389
Metric Tons air	74,278.113	74,278.113
Long Tons	73,105.004	73,105.004
Short Tons	81,877.605	81,877.605
Pounds	163,755,210.00	163,755,210.00

These quantities have been determined by measurement of shore tanks.

B/L API 60°F	18.22
B/L Density 15°C	0.9446
B/L Density 20°C	0.9412
B/L RD 60/60°F	0.9451

Criteria used

US Barrels 60°F to Cu m 60°F	MPMS 11.5 - Annex D	0.158987304
US Barrels 60°F to US Gallons 60°F	MPMS 11.5 - Annex D	42
Metric Tons Air to Metric Tons Vac	MPMS 11.5.3 - 4.5	1.001121081
Barrels 60°F to Metric Tons Air	MPMS 11.5.1 - 4.15	0.149942458
Barrels 60°F to Long Tons	MPMS 11.5.1 - 4.12	0.1475743459
Long Tons to Short Tons	MPMS 11.5 - Annex D	1.12

Remark

Net via S&W Volume %

Signed by: Saybolt representative
Name:
Rank: Saybolt Inspector



Saybolt LP, Route 127 Km 11.7 Magas Arriba, 00656 Guayanilla, Puerto Rico
Tel. 1-787-835-4784 FAX
Website: www.saybolt.com E-mail: abizayd.arzola@corelab.com
All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
SML4 COQ V4.1.9.14 2024/02/27

Date: 06 Jun 2025 13:03
Page 10 of 10



BUREAU
VERITAS

Field Inspection Report

Cargo Operation: Inventory

Vessel(s)

Inventory

Product(s)

ULSD

Client(s)

Autoridad De Energia Electrica De Puerto Rico

Reference #

DG-TANKINVENTORY-5-25

Location(s)

Daguao | GeneraPR

All measurements contained in this report were performed according to the API manual of petroleum measurement standards:

Chapter 3 Tank Gauging, Chapter 7 Temperature Determination, Chapter 8 Sampling, Chapter 12 Calculation of Petroleum Quantities, Chapter 17 Marine Measurement.

All Bureau Veritas measurement devices and methods used for quantity and quality determination meet pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule).

All Operations to be carried out in accordance with Bureau Veritas Commodities Division General Conditions of Service (2014 Edition). An electronic version can also be viewed on our company website:
www.bureauveritas.com/terms_and_conditions/index.asp

Reinaldo LUGO
Bureau Veritas Commodities and Trade, Inc.

Table of Contents

Shore Tanks Measurements - ULSD

1

R. A.

Job #: PRPUE-25-00193-1

Date: 31-May-2025

Location(s): Daguao - GeneraPR

Vessel(s): Inventory

Product(s): ULSD

Client(s): Autoridad De Energia Electrica De Puerto Rico-DG-TANKINVENTORY-5-25

Shore Tanks Measurements

BUREAU
VERITAS

S-1 ²	Crit Zone	Phase	Date/Time	Roof Adj	Amb °F	CTSh Factor	CTSh Bbls	Lines Adj	VCF Table	CoE
		Open	31-May-2025 22:45	N/A	79.0	1.00029	2.67		6B-60°F	
		Close		N/A					6B-60°F	
Operation Phase	Gauge ft	TOV Barrels	FW Gauge ft	FW Barrels	API-60°F	Temp °F	GOV Barrels	VCF 60°F	GSV Barrels	
Open	26-3 1/8	9,208.10	0-0	0.00	36.2	83.5	9,210.77	0.98900	9,109.45	
Close										
Difference		9,208.10		0.00			9,210.77		9,109.45	
Adjustments to GSV									9,109.45	

² The indicated Tank(s) were found to have no Standpipe

Shore Summary						
API-60°F	Adjustments (Bbls)			Condition of Shore Lines	Method of Verification	Water Paste Used
	For Meters to GSV	For Lines to GSV	To Water			
33.9						kolor Kut
Shore Delivered	Shore Delivered	Total Calculated	Gross Standard			
	Cubic Meters 15°C	1,447.621	1,447.621	Density		
	Barrels 60°F	9,109.45	9,109.45	API 60°F		
	Gallons 60°F	382,596.90	382,596.90	33.9		
	Pounds	2,725,446	2,725,446	Table 8 Lbs/Gal (In Air)		
	Long Tons	1,216.717	1,216.717	7.123543173		
	MT (In Air)	1,236.241	1,236.241	Table 11 LT/Bbl (In Air)		
				0.1335664345		
				Table 13 MT/Bbl (In Air)		
				0.1357097629		
				Table 13 MT/Bbl (In Vac)		
				0.1358800815		
	Free Water	0.00				

Date/Time

Date/Time

Date/Time

Reinaldo LUGO

Bureau Veritas Commodities and Trade, Inc



GENERA PR
FUELS DEPARTMENT

FUEL INVENTORY REPORT
May 31, 2025

Fuel Oil #6

Site	Actual Storage (Bbls)	Actual Operational Storage (Bbls)	Average Consumption (Bbls/day)	Bbls Received	Average Received Price/Bbl	In Storage Price/Bbls	In Storage Price (\$/MMBtu)	Inventory (\$)
AGUIRRE	586,077.78	518,307.78	0	-	---	90.1947	14.3166	52,861,105.13
COSTA SUR	495,366.07	402,013.07	8,682	200,474.77	73.9570	82.3822	13.0765	40,809,327.74
PALO SECO	242,512.90	199,660.90	5,288	118,394.16	74.8396	78.9424	12.5305	19,144,555.94
SAN JUAN	81,496.35	71,776.35	2,831	93,083.43	74.0694	76.1694	12.0904	6,207,526.00
TOTAL	1,405,453.10	1,191,758.10	16,801	411,952.36		84.6862	13.4423	\$119,022,514.81

ULSD

Site	Actual Storage (Bbls)	Actual Operational Storage (Bbls)	Average Consumption (Bbls/day)	Bbls Received	Average Received Price/Bbl	In Storage Price/Bbls	In Storage Price (\$/MMBtu)	Inventory (\$)
AGUIRRE	310,666.07	283,868.07	4,017	208,737.72	93.5219	98.2398	16.9379	30,519,773.38
COSTA SUR	3,006.66	2,293.66	0	-	---	111.2532	19.1816	334,500.46
PALO SECO	40,570.34	35,914.34	968	43,891.04	91.4102	93.0829	16.0488	3,776,404.41
SAN JUAN	62,470.18	50,307.18	1,099	36,099.38	90.3991	93.5154	16.1233	5,841,924.41
CAMBALACHE	154,228.29	128,555.29	1,496	90,198.22	91.4630	95.0371	16.3857	14,657,406.63
MAYAGÜEZ	81,953.80	79,366.80	333	49,989.57	89.4994	95.3776	16.4444	7,816,553.06
DAGUAO	9,109.45	7,707.45	279	10,138.99	91.7083	93.7826	16.1694	854,308.10
JOBOS	7,292.17	6,200.17	159	6,127.94	92.2262	94.7015	16.3279	690,579.69
YABUCOA	14,842.24	13,367.24	111	4,243.01	92.0456	98.3463	16.9563	1,459,679.49
VEGA BAJA	2,450.13	2,108.13	96	-	---	94.5372	16.2995	231,628.34
TOTAL	686,589.33	609,688.33	8,557	449,425.87		96.3935	16.6196	\$66,182,757.97

TOTAL (Fuel Oil + ULSD) \$185,205,272.78

Notes:

- 1) For Reporting Quarters only, as required by PREB, actual storage (Bbls) reported illustrate the balance as determined by the Independent Inspection Company.
- 2) For the San Juan Combined Cycle site, this inventory report does not include 5,024.24 barrels of ULSD that are included in the Independent Inspection Quarterly Report. Such balance was delivered to this site on October 30, 2023, and is property of NFE, intended as backup fuel for FEMA Temporary generators at the site.



GENERA JOBOS INVENTORY
AS PER API CHAP: 3,7,8,12,17

DATE: 'MAY 31, 2025
RECORD NO.: GA025240

PREPA SHIPMENT NO. JB-TANKINVENTORY-5-25

TANK	DATE	TIME	GAUGE	GROSS VOLUME	WATER GAUGE	VOLUME	LIQ. TEMP.	API	AMB. TEMP.
NO 2 DESTILLATE FUEL OIL									
S-1	05/31/25	2310	02' 09 3/8"	9,667.00	00' 00"	0.00	82.8	35.0	79.0
S-2	05/31/25	2300	20' 06 1/2"	301,348.00	00' 00 3/4"	1,018.00	86.7	35.0	79.0

06/02/25 @1338 Confirmed Shore Figures with Eng. Francisco Vázquez of Genera Jobos Power Plant


ALTOL PETROLEUM PRODUCTS SERV. INC.
BRENDA REYES-MARTINEZ
INSPECTION SERVICES SUPERVISOR

228 Parque Industrial Sabanetas
Ponce, PR 00716-4401
Tel. 787-835-4242, Fax 787-835-2004



REPORT OF SHORE QUANTITY

AS PER API CHAP: 3,7,8,12,17


Calle Gregorio Ledesma, HN 55, Levittown
Toa Baja, P. R. 00949
Tel. 787-784-1112, Fax 787-784-1115

PREPA SHIPMENT NO. JB-TANKINVENTORY-5-25

EVENT: GENERA JOBOS END OF MONTH INVENTORY					RECORD NO. : GA025240					DATE: MAY 31, 2025				
PRODUCT : NO. 2 DESTILATE FUEL OIL					CONSIGNOR : GENERA PUERTO RICO					PORT/TERMINAL : GUAYAMA, PR				
PREPA SHIPMENT :					CONSIGNEE : GENERA PUERTO RICO					DESTINATION : GENERA JOBOS TERMINAL				
TANK NO.	DATE	TIME	INNAGE ULLAGE (FT/M)	TOTAL OBSERVED VOLUME (TOV IN GALLONS)	FREE WATER = (FW) INNAGE (FT/M)	VOLUME (BBLS/M3)	TEMP. CORR. SHELL CTSh	ROOF CORR. (+/-) (FRA)	GROSS OBSERVED VOLUME (GOV)	API @ 60°F	OBS. TEMP. (°F/°C)	OBS. TEMP. (°F/°C)	V.C.F. TABLE (CTL)	GROSS STANDARD VOLUME (GSV IN GALLONS)
S-1	05/31/25	2310	02' 09 3/8"	9,667.00	00' 00"	0.00	1.00027	0.00	9,669.61	35.0	79.0	82.8	0.98943	9,567.40
TOTAL DELIVERED THIS TANK														
S-2	05/31/25	2300	20' 06 1/2"	301,348.00	00' 00 3/4"	1018.00	1.00032	0.00	300,426.11	35.0	79.0	86.7	0.98761	296,703.83
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														

TANKS NO.	S-1		S-2				TOTAL CARGO
NET BARRELS AT 60F	227.80		7,064.38				7,292.17
NET GALLONS AT 60F	9,567.40		296,703.83				306,271.23
POUNDS/GALS							
POUNDS	67,692.80		2,099,552.00				2,167,244.80
LONG TONS	30.22		937.30				967.52
METRIC TONS	30.71		952.35				983.06
CUBIC METERS	0.13268	0.13481	0.13268	0.13481			1,159.363
SHORE PIPELINES :							

FORM AL04-09/21: REV 01/24


ALTOL PETROLEUM PRODUCTS SERV. INC.
BRENDA REYES-MARTINEZ
INSPECTION SERVICES SUPERVISOR



Field Inspection Report

Cargo Operation: Inventory

Vessel(s)

Inventory

Product(s)

ULSD

Client(s)

Autoridad De Energia Electrica De Puerto Rico

Reference #

MAY-TANKINVENTORY-5-25

Location(s)

Mayaguez | Genera PR

All measurements contained in this report were performed according to the API manual of petroleum measurement standards:

Chapter 3 Tank Gauging; Chapter 7 Temperature Determination; Chapter 8 Sampling; Chapter 12 Calculation of Petroleum Quantities; Chapter 17 Marine Measurement.

All Bureau Veritas measurement devices and methods used for quantity and quality determination meet pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule).

All Operations to be carried out in accordance with Bureau Veritas Commodities Division General Conditions of Service (2014 Edition). An electronic version can also be viewed on our company website: www.bureauveritas.com/terms_and_conditions/index.asp


Reinaldo LUGO

Bureau Veritas Commodities and Trade, Inc

Table of Contents

Shore Tanks Measurements - ULSD

1

R. A.

Job #: PRPUE-25-00191-1

Date: 31-May-2025

Location(s): Mayaguez - Genera PR

Vessel(s): Inventory

Product(s): ULSD

Client(s): Autoridad De Energia Electrica De Puerto Rico-MAY-TANKINVENTORY-5-25

Shore Tanks Measurements

BUREAU
VERITAS

R-1	Crit Zone	Phase	Date/Time	Roof Adj	Amb °F	CTSh Factor	CTSh Bbls	Lines Adj	VCF Table	CoE
		Open	31-May-2025 22:24	N/A	80.0	1.00032	20.07		6B-60°F	
		Close		N/A					6B-60°F	

Operation Phase	Gauge ft	TOV Barrels	FW Gauge ft	FW Barrels	API-60°F	Temp °F	GOV Barrels	VCF 60°F	GSV Barrels
Open	10-7 3/4	63,075.48	0-3	348.64	35.5	87.0	62,746.91	0.98742	61,957.55
Close									
Difference		63,075.48		348.64			62,746.91		61,957.55

Adjustments to GSV

61,957.55

R-4	Crit Zone	Phase	Date/Time	Roof Adj	Amb °F	CTSh Factor	CTSh Bbls	Lines Adj	VCF Table	CoE
		Open	31-May-2025 22:55	N/A	80.0	1.00029	2.79		6B-60°F	
		Close		N/A					6B-60°F	

Operation Phase	Gauge ft	TOV Barrels	FW Gauge ft	FW Barrels	API-60°F	Temp °F	GOV Barrels	VCF 60°F	GSV Barrels
Open	13-6	9,608.81	0-0	0.00	34.1	83.7	9,611.60	0.98909	9,506.74
Close									
Difference		9,608.81		0.00			9,611.60		9,506.74

Adjustments to GSV

9,506.74

S-2	Crit Zone	Phase	Date/Time	Roof Adj	Amb °F	CTSh Factor	CTSh Bbls	Lines Adj	VCF Table	CoE
		Open	31-May-2025 23:50	N/A	79.0	1.00035	1.49		6B-60°F	
		Close		N/A					6B-60°F	

Operation Phase	Gauge ft	TOV Barrels	FW Gauge ft	FW Barrels	API-60°F	Temp °F	GOV Barrels	VCF 60°F	GSV Barrels
Open	24-9 3/4	4,253.57	0-0	0.00	35.4	89.0	4,255.06	0.98650	4,197.62
Close									
Difference		4,253.57		0.00			4,255.06		4,197.62

Adjustments to GSV

4,197.62

S-3	Crit Zone	Phase	Date/Time	Roof Adj	Amb °F	CTSh Factor	CTSh Bbls	Lines Adj	VCF Table	CoE
		Open		N/A	79.0	1.00035	2.23		6B-60°F	
		Close		N/A					6B-60°F	

Operation Phase	Gauge ft	TOV Barrels	FW Gauge ft	FW Barrels	API-60°F	Temp °F	GOV Barrels	VCF 60°F	GSV Barrels
Open	33-4 1/4	6,377.00	0-0	0.00	35.4	89.4	6,379.23	0.98631	6,291.90
Close									
Difference		6,377.00		0.00			6,379.23		6,291.90

Adjustments to GSV

6,291.90

Shore Summary

API-60°F	Adjustments (Bbls)			Condition of Shore Lines	Method of Verification	Water Paste Used
	For Meters to GSV	For Lines to GSV	To Water			

35.3

Kolor Kut

Shore Delivered	Shore Delivered	Total Calculated	Gross Standard
	Cubic Meters 15°C	13,079.028	13,023.624
	Barrels 60°F	82,302.45	81,953.81
	Gallons 60°F	3,456,702.90	3,442,060.02
	Pounds	24,417,006	24,313,573
	Long Tons	10,900.449	10,854.274
	MT (In Air)	11,075.368	11,028.451
	Free Water	348.64	

Density

API 60°F

35.3

Table 8 Lbs/Gal (In Air)

7.063669229

Table 11 LT/Bbl (In Air)

0.1324437981

Table 13 MT/Bbl (In Air)

0.1345691116

Table 13 MT/Bbl (In Vac)

0.1347396012

Date/Time

Date/Time

Date/Time

Reinaldo LUGO

Bureau Veritas Commodities and Trade, Inc



PREPA PALO SECO INVENTORY


AS PER API CHAP: 3,7,8,11,12,17

DATE: May 31, 2025
RECORD NO.: GA-025236

PRELIMINAR

TANK	DATE	TIME	GAUGE	GROSS VOLUME	WATER GAUGE	VOLUME	LIQ. TEMP.	API	AMB. TEMP.
PREPA SHIPMENT NO. PS-TANKINVENTORY-5-25									
NO 6 FUEL OIL									
R-1	05/31/25	2055	16' 08 7/8"	51,051.29	00' 00"	0.00	87.8	18.7	83.0
R-2	05/31/25	2105	12' 08 7/8"	62,739.94	00' 00"	0.00	90.2	17.4	83.0
R-4	05/31/25	2125	11' 10 1/2"	110,804.34	00' 00"	0.00	89.1	17.5	83.0
S-1	05/31/25	2345	8' 03 1/8"	4,129.80	00' 00"	0.00	88.3	17.4	81.0
S-3	05/31/25	2350	8' 06 3/8"	8,355.15	00' 00"	0.00	87.4	17.4	81.0
S-4	05/31/25	2355	8' 05 3/8"	8,209.47	00' 00"	0.00	87.6	17.4	81.0
NO 2 DESTILLATE FUEL OIL									
D-1	05/31/25	2135	6' 01 5/8"	14,240.37	00' 00"	0.00	85.0	35.1	83.0
D-2	05/31/25	2145	6' 02 7/8"	14,353.61	00' 00"	0.00	87.6	35.1	83.0
D-3	06/01/25	0005	13' 10"	12,618.55	00' 03 1/2"	147.80	87.2	35.5	88.0

6/3/2024 @ 1305 Shore Figures confirmed with Jesus Ramos of PREPA Central Palo Seco


ALTOL PETROLEUM PRODUCTS SERV. INC.
JORGE LUIS APONTE
SAN JUAN OFFICE MANAGER

228 Parque Industrial Sabanetas
Ponce, PR 00716-4401
Tel. 787-835-4242, Fax 787-835-2004



Calle Gregorio Ledesma, HN 55, Levittown
Toa Baja, P. R. 00949
Tel. 787-784-1112, Fax 787-784-1115

REPORT OF SHORE QUANTITY AS PER API CHAP: 3,7,8,11,12,17

PAGE 1 OF 2

PREPA SHIPMENT NO. PS-TANKINVENTORY-5-25

EVENT: END OF MONTH INVENTORY GAUGE					RECORD NO. : GA-025236					DATE: May 31, 2025				
PRODUCT : NO. 6 FUEL OIL					CONSIGNOR : PUERTO RICO ELECTRIC POWER AUTHORITY					PORT/TERMINAL : SAN JUAN, P.R.				
TANK NO.					FREE WATER = (FW)		TEMP. CORR. SHELL CTSh	ROOF CORR. (+ / -) (FRA)	GROSS OBSERVED VOLUME (GOV)	A P I @ 60°F	OBS. TEMP. (°F/°C)	V.C.F. TABLE (CTL)	GROSS STANDARD VOLUME (GSV)	
					INNAGE (FT/M)	VOLUME (BBLS/M3)								
R-1		05/31/25	2055	16' 08 7/8"	51,051.29	00' 00"	0.00	1.00033	0.00	51,068.14	18.7	87.8	0.98872	50,492.09
TOTAL DELIVERED THIS TANK														
R-2		05/31/25	2300	12' 08 7/8"	62,739.94	00' 00"	0.00	1.00036	0.00	62,762.53	17.4	90.2	0.98788	62,001.85
TOTAL DELIVERED THIS TANK														
R-4		05/31/25	2125	11' 10 1/2"	110,804.34	00' 00"	0.00	1.00035	0.00	110,843.12	17.5	89.1	0.98831	109,547.36
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														
TOTAL DELIVERED THIS TANK														

TANKS NO.	R-1	R-2	R-4	TOTAL CARGO
NET BARRELS AT 60F	50,492.09	62,001.85	109,547.36	222,041.30
NET GALLONS AT 60F	2,120,667.78	2,604,077.70	4,600,989.12	9,325,734.60
POUNDS/GALS				
POUNDS	16,637,353.60	20,607,619.20	36,385,843.20	73,630,816.00
LONG TONS	7,427.39	9,199.83	16,243.68	32,870.90
METRIC TONS	7,546.55	9,348.02	16,504.41	33,398.98
CUBIC METERS	0.14710	0.14946	0.14828	0.15066
SHORE PIPELINES:	COMMENCED:			FINISHED:
VESSEL TANKS:				

FORM AL04-08/95

ALTOL PETROLEUM PRODUCTS SERV. INC.
JORGE LUIS APONTE
SAN JUAN OFFICE MANAGER

228 Parque Industrial Sabanetas
Ponce, PR 00716-4401
Tel. 787-835-4242, Fax 787-835-2004



Calle Gregorio Ledesma, HN 55, Levittown
Toa Baja, P. R. 00949
Tel. 787-784-1112, Fax 787-784-1115

REPORT OF SHORE QUANTITY AS PER API CHAP: 3,7,8,11,12,17

PAGE 2 OF 2

PREPA SHIPMENT NO. PS-TANKINVENTORY-5-25

PAGE 2 OF 2					PREPA SHIPMENT NO. PS-TANKINVENTORY-5-25												
EVENT: END OF MONTH INVENTORY GAUGE					RECORD NO. : GA-025236					DATE: May 31, 2025							
PRODUCT : NO. 6 FUEL OIL					CONSIGNOR : PUERTO RICO ELECTRIC POWER AUTHORITY					PORT/TERMINAL : SAN JUAN, P.R.							
TANK NO.					FREE WATER = (FW)		TEMP. CORR. SHELL CTSh	ROOF CORR. (+ / -) (FRA)	GROSS OBSERVED VOLUME (GOV)	API @ 60°F	OBS. TEMP. (°F/°C)	V.C.F. TABLE (CTL)	GROSS STANDARD VOLUME (GSV)				
					INNAGE (FT/M)	VOLUME (BBLs/M3)											
S-1					05/31/25	2345	8' 03 1/8"	4,129.80	00' 00"	0.00	1.00033	0.00	4,131.16	17.4	88.3	0.98865	4,084.27
					TOTAL DELIVERED THIS TANK												
S-3					05/31/25	2350	8' 06 3/8"	8,355.15	00' 00"	0.00	1.00033	0.00	8,357.91	17.4	87.4	0.98901	8,266.06
					TOTAL DELIVERED THIS TANK												
S-4					05/31/25	2355	8' 05 3/8"	8,209.47	00' 00"	0.00	1.00033	0.00	8,212.18	17.4	87.6	0.98893	8,121.27
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												
					TOTAL DELIVERED THIS TANK												

TANKS NO.	S-1	S-3	S-4	FROM PAGE # 1	GRAND TOTAL
NET BARRELS AT 60F	4,084.27	8,266.06	8,121.27	222,041.30	242,512.90
NET GALLONS AT 60F	171,539.34	347,174.52	341,093.34	9,325,734.60	10,185,541.80
POUNDS/GALS					
POUNDS	1,357,484.80	2,747,404.80	2,699,267.20	73,630,816.00	80,434,972.80
LONG TONS	606.02	1,226.52	1,205.03	32,870.90	35,908.47
METRIC TONS	615.79	1,246.27	1,224.44	33,398.98	36,485.48
CUBIC METERS	0.14838	0.15077	0.14838	0.15077	
SHORE PIPELINES :	COMMENCED:		FINISHED :		
VESSEL TANKS :					

FORM AL04-08/95

ALTOL PETROLEUM PRODUCTS SERV. INC.
JORGE LUIS APONTE
SAN JUAN OFFICE MANAGER



ALTOL
PETROLEUM PRODUCTS SERVICE, INC.

Calle Gregorio Ledesma, HN 55, Levittown
Toa Baja, P. R. 00949
Tel. 787-784-1112, Fax 787-784-1115

REPORT OF SHORE QUANTITY

AS PER API CHAP: 3,7,8,11,12,17

EVENT: END OF MONTH INVENTORY GAUGE						RECORD NO.: GA-025236				PREPA SHIPMENT NO. PS-TANKINVENTORY-5-25				
PRODUCT : NO. 2 DESTILATE FUEL OIL						CONSIGNOR : PUERTO RICO ELECTRIC POWER AUTHORITY				DATE: May 31, 2025				
						CONSIGNEE : PUERTO RICO ELECTRIC POWER AUTHORITY				PORT/TERMINAL : SAN JUAN, P.R.				
TANK NO.	DATE	TIME	INNAGE ULLAGE (FT/M)	TOTAL OBSERVED VOLUME BARRELS	FREE WATER = (FW) INNAGE (FT/M)	VOLUME (BBL/M3)	TEMP. CORR. SHELL CTSh	ROOF CORR. (+ / -) (FRA)	GROSS OBSERVED VOLUME (GOV)	A P I @ 60°F	OBS. TEMP. (°F/°C)	V.C.F. TABLE (CTL)	GROSS STANDARD VOLUME (GSV)	
D-1	05/31/25	2135	6' 01 5/8"	14,240.37	00' 00"	0.00	1.00031	0.00	14,244.78	35.1	85.0	0.98839	14,079.40	
TOTAL DELIVERED THIS TANK														
D-2	05/31/25	2315	6' 02 7/8"	14,353.61	00' 00"	0.00	1.00032	0.00	14,358.20	35.1	87.6	0.98718	14,174.13	
TOTAL DELIVERED THIS TANK														
D-3	06/01/25	1940	13' 10"	12,618.55	00' 03 1/2"	147.80	1.00033	0.00	12,474.87	35.5	87.2	0.98733	12,316.81	
TOTAL DELIVERED THIS TANK														
TANKS NO.														
NET BARRELS AT 60F				D-1	D-2		D-3	TOTAL CARGO						
NET GALLONS AT 60F				14,079.40	14,174.13		12,316.81							
POUNDS/GALS				591,334.80	595,313.46		517,306.02							
POUNDS				4,181,923.20										
LONG TONS				1,866.93	1,879.49		3,649,564.80							
METRIC TONS				1,896.92	1,909.68		1,629.27							
CUBIC METERS				0.13260	0.13473		1,655.38							
SHORE PIPELINES :				COMMENCED:	FULL		0.13228	0.13440						
VESSEL TANKS :							FINISHED :	FULL						



FORM AL04-08/95

ALTOL PETROLEUM PRODUCTS SERV. INC.
JORGE LUIS APONTE
SAN JUAN OFFICE MANAGER

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25

Digitally Generated by : Saybolt
Reason : Reporting
Location : 13101 Saybolt Puerto Rico - All Activity
Date : 2025.06.03 09:35:58 -04:00



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil , No 2 FUEL OIL

Survey date: 31-May-2025, 31-May-2025

Contents page

Saybolt LP (Puerto Rico) has performed a survey and the findings of the survey are reflected in the following reports:

Title	Number of Pages
Contents page	one
Shore Tank Measurement Details	nine
Shore Tank Inventory Report	three
Shore Tank Inventory Subtotals	three
Certificate of Quantity	two

This report consists of 18 pages.

A copy of this report and all field documents and related correspondence will be retained for a period of 10 years, unless local law requires otherwise

Handled by: Rafael Rodriguez

This report reflects only the findings at the time and place of the inspection and testing. This report is not a guarantee or policy of insurance with respect to the goods or the contractual performance of any party. Any person relying upon this report should be aware that issuer's activities are carried out under their general terms and conditions.



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank R-1

Measurement data (Innage)		Open	Close
Average	FT/IN	24 06-3/8	
Temperature			
Average temp.	°F	92.4	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		CS52758	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP9-03838	
Inspector Equipment used for verification?		Yes	
Inspector name		Jose Flores	

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank R-2

Measurement data (Innage)		Open	Close
Average	FT/IN	17 07-5/8	
Temperature			
Average temp.	°F	89.5	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		CS52758	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP9-03838	
Inspector Equipment used for verification?		Yes	
Inspector name		Jose Flores	



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank R-4

Measurement data (Innage)		Open	Close
Average	FT/IN	00 05-1/2	
Temperature			
Average temp.	°F	87.4	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		CS52758	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP9-03838	
Inspector Equipment used for verification?		Yes	
Inspector name		Jose Flores	

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank S-1

Measurement data (Innage)	Open	Close
Temperature		
Measurement Equipment Data	Open	



Saybolt LP, Route 127 km 11.7, 00656 Guayanilla, Puerto Rico
Tel. 1-787-835-4784 FAX
Website: www.corelab.com E-mail: saybolt.puertorico@corelab.com
All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
SAIL4 STD V4.1.3.5 2021/08/17

Date: 03 Jun 2025 09:34
Page 5 of 18

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank S-10

Measurement data (Innage)		Open	Close
Average	FT/IN	21 00-3/8	
Temperature			
Average temp.	°F	104.3	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		CS52584	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP9-01699	
Inspector Equipment used for verification?		Yes	
Inspector name		H.Lopez	

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank S-8

Measurement data (Innage)		Open	Close
Average	FT/IN	02 10-3/4	
Temperature			
Average temp.	°F	89.2	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		CS52758	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP9-03838	
Inspector Equipment used for verification?		Yes	
Inspector name		Jose Flores	

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank S-9

Measurement data (Innage)

Open

Close

Temperature

Measurement Equipment Data

Open

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product No 2 FUEL OIL

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank D-5

Measurement data (Innage)		Open	Close
Average	FT/IN	32 00-1/4	
Temperature			
Average temp.	°F	86.0	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		CS52758	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP9-03838	
Inspector Equipment used for verification?		Yes	
Inspector name		Jose Flores	

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product No 2 FUEL OIL

Survey date: 31-May-2025

Shore Tank Measurement Details

Shore tank D-6

Measurement data (Innage)		Open	Close
Average	FT/IN	34 10-7/16	
Temperature			
Average temp.	°F	86.6	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		CS52758	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP9-03838	
Inspector Equipment used for verification?		Yes	
Inspector name		Jose Flores	

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
 Report date 03 Jun 2025
 Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Inventory Report - 1

Shore tank measurement		Totals	R-1	R-2	R-4	S-7
Open measurement						
Date/time of measurement		31 May 2025 22:35	31 May 2025 22:20	31 May 2025 22:50	31 May 2025 23:20	
Average Innage	FT/IN	24 06-3/8	17 07-5/8	00 05-1/2	15 04-7/8	
Average temp.	°F	92.4	89.5	87.4	89.2	
T.O.V.	Barrels	42,227.51	30,373.76	1,417.40	2,440.97	
Free Water		Not detected	Not detected	Not detected	Not detected	
Ambient temp.	°F	80.00	80.00	80.00	80.00	
Tank shell temp.	°F	91.00	88.00	86.00	88.00	
CTsh		1.00038	1.00035	1.00032	1.00035	
G.O.V.	Barrels	42,243.56	30,384.39	1,417.85	2,441.82	
API 60°F		17.50	17.70	18.70	18.30	
V.C.F.	6B	0.98698	0.98813	0.98888	0.98819	
G.S.V.	barrels 60°F	41,693.55	30,023.73	1,402.08	2,412.98	
W.C.F.	MPMS 11.5.1.4.12	0.1482883638	0.1480893342	0.1471021371	0.1474954343	
W.C.F.	MPMS 11.5.1.4.15	0.1506679336	0.1504657102	0.1494626716	0.1498622800	
Long Tons		6,182.668	4,446.194	206.249	355.904	
Metric Tons Air		6,281.881	4,517.542	209.559	361.615	
Subtotals						
G.S.V.	barrels 60°F	81,495.97	41,693.55	30,023.73	1,402.08	2,412.98
Long Tons		12,072.725	6,182.668	4,446.194	206.249	355.904

Remarks

Tables used: 6B and W.C.F. MPMS 11.5.1.4.12.

Net calculation via S&W% (API MPMS 12.1)



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
 Report date 03 Jun 2025
 Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Inventory Report - 2

Shore tank measurement		S-8	S-9	S-10
Open measurement				
Date/time of measurement		31 May 2025 23:05		31 May 2025 23:58
Average Innage	FT/IN	02 10-3/4		21 00-3/8
Average temp.	°F	89.2		104.3
T.O.V.	Barrels	2,452.85		3,601.38
Free Water		Not detected		Not detected
Ambient temp.	°F	80.00		80.00
Tank shell temp.	°F	88.00		101.00
CTsh		1.00035		1.00051
G.O.V.	Barrels	2,453.71		3,603.22
API 60°F		18.30		17.70
V.C.F.	6B	0.98819		0.98215
G.S.V.	barrels 60°F	2,424.73		3,538.90
W.C.F.	MPMS 11.5.1.4.12	0.1474954343		0.1480893342
W.C.F.	MPMS 11.5.1.4.15	0.1498622800		0.1504657102
Long Tons		357.637		524.073
Metric Tons Air		363.376		532.483
Subtotals				
G.S.V.	barrels 60°F	2,424.73		3,538.90
Long Tons		357.637		524.073

Remarks

Tables used: 6B and W.C.F. MPMS 11.5.1.4.12.

Net calculation via S&W% (API MPMS 12.1)



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
 Report date 03 Jun 2025
 Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product No 2 FUEL OIL

Shore Tank Inventory Report

Survey date: 31-May-2025

Shore tank measurement		Totals	D-5	D-6
Open measurement				
Date/time of measurement		31 May 2025 23:59	31 May 2025 22:05	
Average Innage	FT/IN	32 00-1/4	34 10-7/16	
Average temp.	°F	86.0	86.6	
T.O.V.	Barrels	33,036.86	35,988.84	
Free Water				
Water	FT/IN	00 05-3/8	00 05-3/8	
Water	Barrels	327.07	370.49	
Ambient temp.	°F	80.00	80.00	
Tank shell temp.	°F	85.00	86.00	
CTsh		1.00000	1.00001	
G.O.V.	Barrels	32,709.79	35,618.71	
API 60°F		34.80	35.20	
V.C.F.	6B	0.98796	0.98764	
G.S.V.	barrels 60°F	32,315.96	35,178.46	
W.C.F.	MPMS 11.5.1.4.12	0.1328425698	0.1325233610	
W.C.F.	MPMS 11.5.1.4.15	0.1349742824	0.1346499513	
Long Tons		4,292.935	4,661.968	
Metric Tons Air		4,361.824	4,736.778	
Subtotals				
G.S.V.	barrels 60°F	67,494.42	32,315.96	35,178.46
Long Tons		8,954.903	4,292.935	4,661.968

Remarks

Tables used: 6B and W.C.F. MPMS 11.5.1.4.12.

Net calculation via S&W% (API MPMS 12.1)



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
 Report date 03 Jun 2025
 Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Inventory Subtotals - 1

Shore tank Subtotals	Totals	R-1	R-2	R-4	S-7
Gross Standard Volume					
Liters 30°C	13,093,644	6,698,640	4,823,821	225,291	387,710
Cu m 60°F	12,956.824	6,628.745	4,773.392	222.913	383.633
Barrels 60°F	81,495.97	41,693.55	30,023.73	1,402.08	2,412.98
US Gallons 60°F	3,422,830.74	1,751,129.10	1,260,996.66	58,887.36	101,345.16
Metric Tons Vac	12,280.151	6,288.886	4,522.587	209.795	362.021
Metric Tons Air	12,266.456	6,281.881	4,517.542	209.559	361.615
Long Tons Air	12,072.725	6,182.668	4,446.194	206.249	355.904
Short Tons Air	13,521.451	6,924.588	4,979.737	230.999	398.612
Pounds Air	27,042,902.00	13,849,176.00	9,959,474.00	461,998.00	797,224.00
Density 15°C		0.9491	0.9478	0.9415	0.9440
API 60°F		17.50	17.70	18.70	18.30
RD 60/60°		0.9497	0.9484	0.9421	0.9446
Total Calculated Volume					
Barrels 60°F	81,495.97	41,693.55	30,023.73	1,402.08	2,412.98
US Gallons 60°F	3,422,830.74	1,751,129.10	1,260,996.66	58,887.36	101,345.16



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/1/25
 Report date 03 Jun 2025
 Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31-May-2025

Shore Tank Inventory Subtotals - 2

Shore tank Subtotals	S-8	S-9	S-10
----------------------	-----	-----	------

Gross Standard Volume

Liters 30°C	389,598	568,584
Cu m 60°F	385.501	562.640
Barrels 60°F	2,424.73	3,538.90
US Gallons 60°F	101,838.66	148,633.80
Metric Tons Vac	363.784	533.078
Metric Tons Air	363.376	532.483
Long Tons Air	357.637	524.073
Short Tons Air	400.553	586.962
Pounds Air	801,106.00	1,173,924.00
Density 15°C	0.9440	0.9478
API 60°F	18.30	17.70
RD 60/60°	0.9446	0.9484

Total Calculated Volume

Barrels 60°F	2,424.73	3,538.90
US Gallons 60°F	101,838.66	148,633.80



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/1/25
 Report date 03 Jun 2025
 Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product No 2 FUEL OIL

Survey date: 31-May-2025

Shore Tank Inventory Subtotals

Shore tank Subtotals	Totals	D-5	D-6
Gross Standard Volume			
Liters 30°C	10,861,821	5,200,471	5,661,350
Cu m 60°F	10,730.756	5,137.827	5,592.929
Barrels 60°F	67,494.42	32,315.96	35,178.46
US Gallons 60°F	2,834,765.64	1,357,270.32	1,477,495.32
Metric Tons Vac	9,110.101	4,367.329	4,742.772
Metric Tons Air	9,098.602	4,361.824	4,736.778
Long Tons Air	8,954.903	4,292.935	4,661.968
Short Tons Air	10,029.491	4,808.087	5,221.404
Pounds Air	20,058,982.00	9,616,174.00	10,442,808.00
Density 15°C		0.8504	0.8484
API 60°F		34.80	35.20
RD 60/60°		0.8509	0.8488
Total Calculated Volume			
Barrels 60°F	68,191.98	32,643.03	35,548.95
US Gallons 60°F	2,864,063.16	1,371,007.26	1,493,055.90



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product Fuel Oil

Survey date: 31 May 2025

Certificate of Quantity

The undersigned Independent Saybolt Surveyor herewith declares that the quantity of product measured amounts to:

	Gross	Net
Liters 30°C	13,093,644	13,093,644
Cubic meters 60°F	12,956.824	12,956.824
Barrels 60°F	81,495.97	81,495.97
US Gallons 60°F	3,422,830.74	3,422,830.74
Metric Tons vac	12,280.151	12,280.151
Metric Tons air	12,266.456	12,266.456
Long Tons	12,072.725	12,072.725
Short Tons	13,521.451	13,521.451
Pounds	27,042,902.00	27,042,902.00

These quantities have been determined by measurement of shore tanks.

B/L API 60°F	17.65
B/L Density 15°C	0.9482
B/L Density 20°C	0.9448
B/L RD 60/60°F	0.9487

Criteria used

US Barrels 60°F to Cu m 60°F	MPMS 11.5 - Annex D	0.158987304
US Barrels 60°F to US Gallons 60°F	MPMS 11.5 - Annex D	42
Metric Tons Air to Metric Tons Vac	MPMS 11.5.3 - 4.5	1.00111625
Barrels 60°F to Metric Tons Air	MPMS 11.5.1 - 4.15	0.1505162152
Barrels 60°F to Long Tons	MPMS 11.5.1 - 4.12	0.1481390416
Long Tons to Short Tons	MPMS 11.5 - Annex D	1.12

Remark

Net via S&W Volume %

Signed by: Saybolt representative
Name:
Rank: Saybolt Inspector



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
SJ-TANKINVENTORY-5-25



Job No 13101/00018322.0000/01/I/25
Report date 03 Jun 2025
Installation San Juan, Puerto Rico, Central San Juan Terminal

Shore tank End of Month Inventory 5/31/2025- San Juan
Product No 2 FUEL OIL

Survey date: 31 May 2025

Certificate of Quantity

The undersigned Independent Saybolt Surveyor herewith declares that the quantity of product measured amounts to:

	Gross	Net
Liters 30°C	10,861,821	10,861,821
Cubic meters 60°F	10,730.756	10,730.756
Barrels 60°F	67,494.42	67,494.42
US Gallons 60°F	2,834,765.64	2,834,765.64
Metric Tons vac	9,110.101	9,110.101
Metric Tons air	9,098.602	9,098.602
Long Tons	8,954.903	8,954.903
Short Tons	10,029.491	10,029.491
Pounds	20,058,982.00	20,058,982.00

These quantities have been determined by measurement of shore tanks.

B/L API 60°F	35.01
B/L Density 15°C	0.8494
B/L Density 20°C	0.8459
B/L RD 60/60°F	0.8498

Criteria used

US Barrels 60°F to Cu m 60°F	MPMS 11.5 - Annex D	0.158987304
US Barrels 60°F to US Gallons 60°F	MPMS 11.5 - Annex D	42
Metric Tons Air to Metric Tons Vac	MPMS 11.5.3 - 4.5	1.001263734
Barrels 60°F to Metric Tons Air	MPMS 11.5.1 - 4.15	0.1348038142
Barrels 60°F to Long Tons	MPMS 11.5.1 - 4.12	0.132674794
Long Tons to Short Tons	MPMS 11.5 - Annex D	1.12

Remark

Net via S&W Volume %

Signed by: Saybolt representative
Name:
Rank: Saybolt Inspector



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
VB-TANKINVENTORY-5-25

Digitally Generated by : Saybolt
Reason : Reporting
Location : 13101 Saybolt Puerto Rico - All Activity
Date : 2025.06.01 20:53:55 -04:00



Job No 13101/00018323.0000/01/I/25
Report date 01 Jun 2025
Installation Vega Baja, Puerto Rico, PREPA Vega Baja Turbine Power Block

Shore tank End of Month Inventory 5/31/2025- VEGA BAJA
Product No 2 FUEL OIL

Survey date: 30-May-2025

Contents page

Saybolt LP (Puerto Rico) has performed a survey and the findings of the survey are reflected in the following reports:

Title	Number of Pages
Contents page	one
Shore Tank Measurement Details	one
Shore Tank Inventory Report	one
Shore Tank Inventory Subtotals	one
Certificate of Quantity	one

This report consists of 5 pages.

A copy of this report and all field documents and related correspondence will be retained for a period of 10 years, unless local law requires otherwise

Handled by: Rafael Rodriguez

This report reflects only the findings at the time and place of the inspection and testing. This report is not a guarantee or policy of insurance with respect to the goods or the contractual performance of any party. Any person relying upon this report should be aware that issuer's activities are carried out under their general terms and conditions.



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
VB-TANKINVENTORY-5-25



Job No 13101/00018323.0000/01/I/25
Report date 01 Jun 2025
Installation Vega Baja, Puerto Rico, PREPA Vega Baja Turbine Power Block

Shore tank End of Month Inventory 5/31/2025- VEGA BAJA
Product No 2 FUEL OIL

Survey date: 30-May-2025

Shore Tank Measurement Details

Shore tank S-1

Measurement data (Innage)		Open	Close
Average	FT/IN	14 06-5/8	
Temperature			
Average temp.	°F	81.7	
Measurement Equipment Data			
		Open	
Water measurement used		Paste	
Water paste used		k/k	
Gauging equipment type		Saybolt Equipment	
Gauging Equipment used		Manual Tape	
Gauging equipment number		52758	
Temperature equipment type		Saybolt Equipment	
Temperature Equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP9-03838	
Inspector Equipment used for verification?		Yes	
Inspector name		Jose Flores	

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 VB-TANKINVENTORY-5-25



Job No 13101/00018323.0000/01/I/25
 Report date 01 Jun 2025
 Installation Vega Baja, Puerto Rico, PREPA Vega Baja Turbine Power Block

Shore tank End of Month Inventory 5/31/2025- VEGA BAJA
Product No 2 FUEL OIL

Shore Tank Inventory Report

Survey date: 30-May-2025

Shore tank measurement		Totals	S-1
Open measurement			
Date/time of measurement			30 May 2025 10:45
Average Innage	FT/IN		14 06-5/8
Average temp.	°F		81.7
T.O.V.	Barrels		2,474.98
Free Water			
Ambient temp.	°F		84.00
Tank shell temp.	°F		82.00
CTsh			1.00027
G.O.V.	Barrels		2,475.65
API 60°F			37.80
V.C.F.	6B		0.98969
G.S.V.	barrels 60°F		2,450.13
W.C.F.	MPMS 11.5.1.4.12		0.1304852706
W.C.F.	MPMS 11.5.1.4.15		0.1325791558
Long Tons			319.706
Metric Tons Air			324.836
Subtotals			
G.S.V.	barrels 60°F	2,450.13	2,450.13
Long Tons		319.706	319.706

Remarks

Tables used: 6B and W.C.F. MPMS 11.5.1.4.12.

Net calculation via S&W% (API MPMS 12.1)



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 VB-TANKINVENTORY-5-25



Job No 13101/00018323.0000/01/I/25
 Report date 01 Jun 2025
 Installation Vega Baja, Puerto Rico, PREPA Vega Baja Turbine Power Block

Shore tank End of Month Inventory 5/31/2025- VEGA BAJA
Product No 2 FUEL OIL

Survey date: 30-May-2025

Shore Tank Inventory Subtotals

Shore tank Subtotals		Totals	S-1
Gross Standard Volume			
Cu m 60°F		389.540	389.540
Barrels 60°F		2,450.13	2,450.13
US Gallons 60°F		102,905.46	102,905.46
Metric Tons Vac		325.254	325.254
Metric Tons Air		324.836	324.836
Long Tons Air		319.706	319.706
Short Tons Air		358.071	358.071
Pounds Air		716,142.00	716,142.00
Density 15°C			0.8354
API 60°F			37.80
RD 60/60°			0.8358
Total Calculated Volume			
Barrels 60°F		2,450.13	2,450.13
US Gallons 60°F		102,905.46	102,905.46



PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
VB-TANKINVENTORY-5-25



Job No 13101/00018323.0000/01/I/25
Report date 01 Jun 2025
Installation Vega Baja, Puerto Rico, PREPA Vega Baja Turbine Power Block

Shore tank End of Month Inventory 5/31/2025- VEGA BAJA
Product No 2 FUEL OIL

Survey date: 30 May 2025

Certificate of Quantity

The undersigned Independent Saybolt Surveyor herewith declares that the quantity of product measured amounts to:

	Gross	Net
Cubic meters 60°F	389.540	389.540
Barrels 60°F	2,450.13	2,450.13
US Gallons 60°F	102,905.46	102,905.46
Metric Tons vac	325.254	325.254
Metric Tons air	324.836	324.836
Long Tons	319.706	319.706
Short Tons	358.071	358.071
Pounds	716,142.00	716,142.00

These quantities have been determined by measurement of shore tanks.

B/L API 60°F	37.80
B/L Density 15°C	0.8354
B/L Density 20°C	0.8318
B/L RD 60/60°F	0.8358

Criteria used

US Barrels 60°F to Cu m 60°F	MPMS 11.5 - Annex D	0.158987304
US Barrels 60°F to US Gallons 60°F	MPMS 11.5 - Annex D	42
Metric Tons Air to Metric Tons Vac	MPMS 11.5.3 - 4.5	1.001287458
Barrels 60°F to Metric Tons Air	MPMS 11.5.1 - 4.15	0.1325791558
Barrels 60°F to Long Tons	MPMS 11.5.1 - 4.12	0.1304852706
Long Tons to Short Tons	MPMS 11.5 - Annex D	1.12

Remark

Net via S&W Volume %

Signed by: Saybolt representative
Name:
Rank: Saybolt Inspector



Saybolt LP, Route 127 km 11.7, 00656 Guayanilla, Puerto Rico
Tel. 1-787-835-4784 FAX
Website: www.corelab.com E-mail: saybolt.puertorico@corelab.com
All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
SML4 COQ V4.1.9.14 2024/02/27

Date: 01 Jun 2025 20:53
Page 5 of 5



Field Inspection Report

Cargo Operation: Inventory

Vessel(s)

Inventory

Product(s)

ULSD

Client(s)

Autoridad De Energia Electrica De Puerto Rico

Reference #

YB-TANKINVENTORY-5-25

Location(s)

Yabucoa | Genera PR

All measurements contained in this report were performed according to the API manual of petroleum measurement standards:

Chapter 3 Tank Gauging; Chapter 7 Temperature Determination; Chapter 8 Sampling; Chapter 12 Calculation of Petroleum Quantities; Chapter 17 Marine Measurement.

All Bureau Veritas measurement devices and methods used for quantity and quality determination meet pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule).

All Operations to be carried out in accordance with Bureau Veritas Commodities Division General Conditions of Service (2014 Edition). An electronic version can also be viewed on our company website: www.bureauveritas.com/terms_and_conditions/index.asp

Reinaldo LUGO
Bureau Veritas Commodities and Trade, Inc

Table of Contents

Shore Tanks Measurements - ULSD

1

R. L. ✓

Job #: PRPUE-25-00192-1

Date: 31-May-2025

Location(s): Yabucoa - Genera PR

Vessel(s): Inventory

Product(s): ULSD

Client(s): Autoridad De Energia Electrica De Puerto Rico-YB-TANKINVENTORY-5-25

BUREAU
VERITAS

S-1 ²	Crit Zone	Phase	Date/Time	Roof Adj	Amb °F	CTSh Factor	CTSh Bbls	Lines Adj	VCF Table	CoE
		Open	31-May-2025 16:45	N/A	84.0	1.00032	1.99		6B-60°F	
		Close		N/A					6B-60°F	

Operation Phase	Gauge ft	TOV Barrels	FW Gauge ft	FW Barrels	API-60°F	Temp °F	GOV Barrels	VCF 60°F	GSV Barrels
Open	36-3 3/4	6,203.14	0-0	0.00	38.0	86.3	6,205.13	0.98746	6,127.32
Close									
Difference		6,203.14		0.00			6,205.13		6,127.32

Adjustments to GSV

6,127.32

S-2 ²	Crit Zone	Phase	Date/Time	Roof Adj	Amb °F	CTSh Factor	CTSh Bbls	Lines Adj	VCF Table	CoE
		Open	31-May-2025 17:15	N/A	84.0	1.00032	2.82		6B-60°F	
		Close		N/A					6B-60°F	

Operation Phase	Gauge ft	TOV Barrels	FW Gauge ft	FW Barrels	API-60°F	Temp °F	GOV Barrels	VCF 60°F	GSV Barrels
Open	25-4 1/8	8,838.98	0-1	15.40	38.0	86.5	8,826.40	0.98737	8,714.92
Close									
Difference		8,838.98		15.40			8,826.40		8,714.92

Adjustments to GSV

8,714.92

² The indicated Tank(s) were found to have no Standpipe

Shore Summary					
API-60°F	Adjustments (Bbls)			Condition of Shore Lines	Method of Verification
	For Meters to GSV	For Lines to GSV	To Water		
38.0					Kolor Kut

Shore Delivered	Shore Delivered	Total Calculated	Gross Standard
	Cubic Meters 15°C	2,361.066	2,358.619
	Barrels 60°F	14,857.64	14,842.24
	Gallons 60°F	624,020.88	623,374.08
	Pounds	4,337,564	4,333,068
	Long Tons	1,936.412	1,934.405
	MT (In Air)	1,967.486	1,965.446
	Free Water	15.40	

Density
API 60°F
38.0
Table 8 Lbs/Gal (In Air)
6.950991160
Table 11 LT/Bbl (In Air)
0.1303310843
Table 13 MT/Bbl (In Air)
0.1324224953
Table 13 MT/Bbl (In Vac)
0.1325933066

Date/Time

Date/Time

Reinaldo LUGO