

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
CAM-TANKINV-5-31-26

Digitally Generated by : Saybolt
Reason : Reporting
Location : 13101 Saybolt Puerto Rico - All Activity
Date : 2026.06.01 11:46:25 -04:00



Job No 13101/00018804.0000/01/1/26
Report date 01 Jun 2026
Installation Arecibo, Puerto Rico, Cambalache Power Plant

Shore tank End of Month Inventory Cambalache for 5-31-26
Product NO2

Survey date: 31-May-2026

Contents page

Saybolt LP (Puerto Rico) has performed a survey and the findings of the survey are reflected in the following reports:

Title	Number of Pages
Contents page	one
Shore Tank Inventory Report	one
Shore Tank Measurement Details	two
Shore Tank Inventory Subtotals	one
Certificate of Quantity	one

This report consists of 6 pages.

A copy of this report and all field documents and related correspondence will be retained for a period of 10 years, unless local law requires otherwise

Handled by: Rafael Rodriguez

This report reflects only the findings at the time and place of the inspection and testing. This report is not a guarantee or policy of insurance with respect to the goods or the contractual performance of any party. Any person relying upon this report should be aware that issuer's activities are carried out under their general terms and conditions.

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol.com. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 99.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

Handled by: Rafael Rodriguez
Saybolt LP, 127 Km 11.7 magas Arriba, 00656 Guayanilla, Puerto Rico
Tel. 787-835-4784 FAX
Website: www.corelab.com E-mail:rafael.rodriguez@corelab.com
All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
SAIL4 CNT V4.3.0.0 2026/01/27

Date: 01 Jun 2026 11:46
Page 1 of 6

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 CAM-TANKINV-5-31-26



Job No 13101/00018804.0000/01/1/26
 Report date 01 Jun 2026
 Installation Arecibo, Puerto Rico, Cambalache Power Plant

Shore tank End of Month Inventory Cambalache for 5-31-26
Product NO2

Survey date: 31-May-2026

Shore Tank Inventory Report

Shore tank measurement		Totals	D-3	D-1
Open measurement				
Date/time of measurement		31 May 2026 23:54	31 May 2026 23:05	
Average Innage	FT/IN	12 00-3/4	31 07-5/8	
Average temp.	°F	82.5	83.4	
T.O.V.	Barrels	79,448.60	38,511.07	
Free Water				
Water	FT/IN	00 03-0/0	00 01-3/4	
Water	Barrels	368.32	216.84	
Ambient temp.	°F	79.00	79.00	
Tank shell temp.	°F	82.00	83.00	
CTsh		0.99996	0.99998	
G.O.V.	Barrels	79,077.12	38,293.46	
API 60°F		34.70	36.60	
V.C.F.	6B	0.98959	0.98901	
G.S.V.	barrels 60°F	78,253.93	37,872.61	
W.C.F.	MPMS 11.5.1.4.12	0.1329226121	0.1314180936	
W.C.F.	MPMS 11.5.1.4.15	0.1350556091	0.1335269477	
Long Tons		10,401.717	4,977.146	
Metric Tons Air		10,568.632	5,057.014	
Subtotals				
G.S.V.	barrels 60°F	116,126.54	78,253.93	37,872.61
Long Tons		15,378.863	10,401.717	4,977.146

Remarks

Tables used: 6B and W.C.F. MPMS 11.5.1.4.12.

Net calculation via S&W% (API MPMS 12.1)

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol.com. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 CAM-TANKINV-5-31-26



Job No 13101/00018804.0000/01/1/26
 Report date 01 Jun 2026
 Installation Arecibo, Puerto Rico, Cambalache Power Plant

Shore tank End of Month Inventory Cambalache for 5-31-26
Product NO2

Survey date: 31-May-2026

Shore Tank Measurement Details

Shore tank D-1

Measurement data (Innage)		Open	Close
Average	FT/IN	31 07-5/8	
Temperature			
Average temp.	°F	83.4	
Measurement equipment Data		Open	
Water measurement used		Paste	
Water paste used		KK	
Gauging equipment number		53314	
Temperature equipment number		TP9-02532	
Tank calibration table		valid until 25 Mar 1997	
Tank Calibration table nr.		D-1	
Inspector equipment used for verification?		Yes	
Inspector name		J.FLORES	

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol.com. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 CAM-TANKINV-5-31-26



Job No 13101/00018804.0000/01/1/26
 Report date 01 Jun 2026
 Installation Arecibo, Puerto Rico, Cambalache Power Plant

Shore tank End of Month Inventory Cambalache for 5-31-26
Product NO2

Survey date: 31-May-2026

Shore Tank Measurement Details

Shore tank D-3

Measurement data (Innage)		Open	Close
Average	FT/IN	12 00-3/4	
Temperature			
Average temp.	°F	82.5	
Measurement equipment Data		Open	
Water measurement used		Paste	
Water paste used		KK	
Gauging equipment number		53314	
Temperature equipment number		TP9-02532	
Tank calibration table		valid until 25 Mar 1997	
Tank Calibration table nr.		D-3	
Inspector equipment used for verification?		Yes	
Inspector name		J.FLORES	

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol.com. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 99.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 CAM-TANKINV-5-31-26



Job No 13101/00018804.0000/01/1/26
 Report date 01 Jun 2026
 Installation Arecibo, Puerto Rico, Cambalache Power Plant

Shore tank End of Month Inventory Cambalache for 5-31-26
Product NO2

Survey date: 31-May-2026

Shore Tank Inventory Subtotals

Shore tank Subtotals	Totals	D-3	D-1
Gross Standard Volume			
Cu m 60°F	18,462.645	12,441.381	6,021.264
Barrels 60°F	116,126.54	78,253.93	37,872.61
US Gallons 60°F	4,877,314.68	3,286,665.06	1,590,649.62
Metric Tons Vac	15,645.434	10,581.961	5,063.473
Metric Tons Air	15,625.646	10,568.632	5,057.014
Long Tons Air	15,378.863	10,401.717	4,977.146
Short Tons Air	17,224.327	11,649.923	5,574.404
Pounds Air	34,448,654.00	23,299,846.00	11,148,808.00
Density 15°C		0.8509	0.8413
API 60°F		34.70	36.60
RD 60/60°F		0.8514	0.8418
Total Calculated Volume			
Barrels 60°F	116,711.70	78,622.25	38,089.45
US Gallons 60°F	4,901,891.40	3,302,134.50	1,599,756.90

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol.com. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 99.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 CAM-TANKINV-5-31-26



Job No 13101/00018804.0000/01/1/26
 Report date 01 Jun 2026
 Installation Arecibo, Puerto Rico, Cambalache Power Plant

Shore tank End of Month Inventory Cambalache for 5-31-26
Product NO2

Survey date: 31 May 2026

Certificate of Quantity

The undersigned Independent Saybolt Surveyor herewith declares that the quantity of product measured amounts to:

	Gross	Net
Cubic meters 60°F	18,462.645	18,462.645
Barrels 60°F	116,126.54	116,126.54
US Gallons 60°F	4,877,314.68	4,877,314.68
Metric Tons vac	15,645.434	15,645.434
Metric Tons air	15,625.646	15,625.646
Long Tons	15,378.863	15,378.863
Short Tons	17,224.327	17,224.327
Pounds	34,448,654.00	34,448,654.00

These quantities have been determined by Shore tank measurements taken by Manual measurements.

B/L API 60°F	35.31
B/L Density 15°C	0.8478
B/L Density 20°C	0.8443
B/L RD 60/60°F	0.8483

Criteria used

US Barrels 60°F to Cu m 60°F	MPMS 11.5 - Annex D	0.158987304
US Barrels 60°F to US Gallons 60°F	MPMS 11.5 - Annex D	42
Metric Tons Air to Metric Tons Vac	MPMS 11.5.3 - 4.5	1.001266405
Barrels 60°F to Metric Tons Air	MPMS 11.5.1 - 4.15	0.1345610329
Barrels 60°F to Long Tons	MPMS 11.5.1 - 4.12	0.132435847
Long Tons to Short Tons	MPMS 11.5 - Annex D	1.12

Remark

Net via S&W Volume %

Signed by: Saybolt representative
 Name:
 Rank: Saybolt Inspector

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol.com. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 99.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

Handled by: Rafael Rodriguez
 Saybolt LP, 127 Km 11.7 magas Arriba, 00656 Guayanilla, Puerto Rico
 Tel. 787-835-4784 FAX
 Website: www.corelab.com E-mail:rafael.rodriguez@corelab.com
 All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
 SAIL4 COQ V4.1.9.14 20240227

Date: 01 Jun 2026 11:46
 Page 6 of 6