

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
YB-TANKINV-8-31-202

Digitally Generated by : Saybolt
Reason : Reporting
Location : 13101 Saybolt Puerto Rico - All Activity
Date : 2026.09.01 17:05:59 -04:00



Job No 13101/00018950.0000/01/I/26
Report date 01 Sep 2026
Installation Yabucoa, Puerto Rico, PREPA Yabucoa Turbine Power Block

Shore tank End of Month Inventory for 8-31-26 / YABUCOA
Product NO2 Fuel Oil

Survey date: 31-Aug-2026

Contents page

Saybolt LP (Puerto Rico) has performed a survey and the findings of the survey are reflected in the following reports:

Title	Number of Pages
Contents page	one
Time Log	one
Shore Tank Inventory Report	one
Shore Tank Measurement Details	two
Shore Tank Inventory Subtotals	one
Certificate of Quantity	one

This report consists of 7 pages.

A copy of this report and all field documents and related correspondence will be retained for a period of 10 years, unless local law requires otherwise

Handled by: Rafael Rodriguez

This report reflects only the findings at the time and place of the inspection and testing. This report is not a guarantee or policy of insurance with respect to the goods or the contractual performance of any party. Any person relying upon this report should be aware that issuer's activities are carried out under their general terms and conditions.

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol. corr. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

Handled by: Rafael Rodriguez
Saybolt LP, 127 Km 11.7 magas Arriba, 00656 Guayanilla, Puerto Rico
Tel. 787-835-4784 FAX
Website: www.corelab.com E-mail:rafael.rodriguez@corelab.com
All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
SAIL4 CNT V4.3.0.0 2026/01/27

Date: 01 Sep 2026 17:05
Page 1 of 7

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
YB-TANKINV-8-31-202



Job No 13101/00018950.0000/01/I/26
Report date 01 Sep 2026
Installation Yabucoa, Puerto Rico, PREPA Yabucoa Turbine Power Block

Shore tank End of Month Inventory for 8-31-26 / YABUCOA
Product NO2 Fuel Oil

Survey date: 31-Aug-2026

Time Log

31 Aug 2026 (Monday)		
13:00		COMMENCED STOCK MEASUREMENT
13:10		COMPLETED STOCK MEASUREMENT

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol corr. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

Handled by: Rafael Rodriguez
Saybolt LP, 127 Km 11.7 magas Arriba, 00656 Guayanilla, Puerto Rico
Tel. 787-835-4784 FAX
Website: www.corelab.com E-mail: rafael.rodriguez@corelab.com
All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
SAIL4 TML2 V4.3.0.0 2026/01/27

Date: 01 Sep 2026 17:05
Page 2 of 7

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 YB-TANKINV-8-31-202



Job No 13101/00018950.0000/01/I/26
 Report date 01 Sep 2026
 Installation Yabucoa, Puerto Rico, PREPA Yabucoa Turbine Power Block

Shore tank End of Month Inventory for 8-31-26 / YABUCOA
Product NO2 Fuel Oil

Survey date: 31-Aug-2026

Shore Tank Inventory Report

Shore tank measurement		Totals	D-1	D-2
Open measurement				
Date/time of measurement		31 Aug 2026 13:10	31 Aug 2026 13:00	
Average Innage	FT/IN	36 04-1/8	25 10-5/8	
Average temp.	°F	87.4	88.1	
T.O.V.	Barrels	6,208.48	9,028.36	
Free Water		NIL		
Water	FT/IN		00 0-3/4	
Water	Barrels		12.26	
Ambient temp.	°F	88.00	88.00	
Tank shell temp.	°F	87.00	88.00	
CTsh		1.00033	1.00035	
G.O.V.	Barrels	6,210.53	9,019.26	
API 60°F		36.00	36.00	
V.C.F.	6B	0.98718	0.98686	
G.S.V.	barrels 60°F	6,130.91	8,900.75	
W.C.F.	MPMS 11.5.1.4.12	0.1318895173	0.1318895173	
W.C.F.	MPMS 11.5.1.4.15	0.1340059363	0.1340059363	
Long Tons		808.603	1,173.916	
Metric Tons Air		821.578	1,192.753	
Subtotals				
G.S.V.	barrels 60°F	15,031.66	6,130.91	8,900.75
Long Tons		1,982.519	808.603	1,173.916

Remarks

Tables used: 6B and W.C.F. MPMS 11.5.1.4.12.

Net calculation via sediments and water vol% and dens. (ISO 9403:2000(E))

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol corr. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

Handled by: Rafael Rodriguez

Saybolt LP, 127 Km 11.7 magas Arriba, 00656 Guayanilla, Puerto Rico

Tel. 787-835-4784 FAX

Website: www.corelab.com E-mail: rafael.rodriguez@corelab.com

All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions

SAIL4 STM V4.3.0.0 2026/01/27

Date: 01 Sep 2026 17:05

Page 3 of 7

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 YB-TANKINV-8-31-202



Job No 13101/00018950.0000/01/I/26
 Report date 01 Sep 2026
 Installation Yabucoa, Puerto Rico, PREPA Yabucoa Turbine Power Block

Shore tank End of Month Inventory for 8-31-26 / YABUCOA
Product NO2 Fuel Oil

Survey date: 31-Aug-2026

Shore Tank Measurement Details

Shore tank D-1

Measurement data (Innage)		Open	Close
Average	FT/IN	36 04-1/8	
Temperature			
Average temp.	°F	87.4	
Measurement equipment Data		Open	
Water measurement used		Paste	
Water paste used		KK	
Gauging equipment type		Saybolt Equipment	
Gauging equipment used		Manual Tape	
Gauging equipment number		53408	
Temperature equipment type		Saybolt Equipment	
Temperature equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP-901699	
Tank Calibration table nr.		1	
Sample number(s)		0	
Inspector equipment used for verification?		No	
Inspector name		Edwin Hernandez	

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol corr. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

Handled by: Rafael Rodriguez
 Saybolt LP, 127 Km 11.7 magas Arriba, 00656 Guayanilla, Puerto Rico
 Tel. 787-835-4784 FAX
 Website: www.corelab.com E-mail: rafael.rodriguez@corelab.com
 All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
 SAIL4 STD V4.3.0.0 2026/01/27

Date: 01 Sep 2026 17:05
 Page 4 of 7

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
YB-TANKINV-8-31-202



Job No 13101/00018950.0000/01/I/26
Report date 01 Sep 2026
Installation Yabucoa, Puerto Rico, PREPA Yabucoa Turbine Power Block

Shore tank End of Month Inventory for 8-31-26 / YABUCOA
Product NO2 Fuel Oil

Survey date: 31-Aug-2026

Shore Tank Measurement Details

Shore tank D-2

Measurement data (Innage)		Open	Close
Average	FT/IN	25 10-5/8	
Temperature			
Average temp.	°F	88.1	
Measurement equipment Data		Open	
Water measurement used		Paste	
Water paste used		KK	
Gauging equipment type		Saybolt Equipment	
Gauging equipment used		Manual Tape	
Gauging equipment number		53408	
Temperature equipment type		Saybolt Equipment	
Temperature equipment used		Portable Electronic Thermometer	
Temperature equipment number		TP-901699	
Tank Calibration table nr.		2	
Sample number(s)		0	
Inspector equipment used for verification?		No	
Inspector name		Edwin Hernandez	

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol corr. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

Handled by: Rafael Rodriguez
Saybolt LP, 127 Km 11.7 magas Arriba, 00656 Guayanilla, Puerto Rico
Tel. 787-835-4784 FAX
Website: www.corelab.com E-mail: rafael.rodriguez@corelab.com
All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
SAIL4 STD V4.3.0.0 2026/01/27

Date: 01 Sep 2026 17:05
Page 5 of 7

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
 American International Plaza
 250 Muñoz Rivera Ave, Suite 1200
 00918 SAN JUAN
 Puerto Rico
 Mr. M. Rios
 YB-TANKINV-8-31-202



Job No 13101/00018950.0000/01/I/26
 Report date 01 Sep 2026
 Installation Yabucoa, Puerto Rico, PREPA Yabucoa Turbine Power Block

Shore tank End of Month Inventory for 8-31-26 / YABUCOA
Product NO2 Fuel Oil

Survey date: 31-Aug-2026

Shore Tank Inventory Subtotals

Shore tank Subtotals	Totals	D-1	D-2
Gross Standard Volume			
Cu m 60°F	2,389.843	974.737	1,415.106
Barrels 60°F	15,031.66	6,130.91	8,900.75
US Gallons 60°F	631,329.72	257,498.22	373,831.50
Metric Tons Vac	2,016.893	822.623	1,194.270
Metric Tons Air	2,014.331	821.578	1,192.753
Long Tons Air	1,982.519	808.603	1,173.916
Short Tons Air	2,220.421	905.635	1,314.786
Pounds Air	4,440,842.00	1,811,270.00	2,629,572.00
Density 15°C		0.8443	0.8443
API 60°F		36.00	36.00
RD 60/60°F		0.8448	0.8448
Total Calculated Volume			
Barrels 60°F	15,043.92	6,130.91	8,913.01
US Gallons 60°F	631,844.64	257,498.22	374,346.42

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol corr. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

Handled by: Rafael Rodriguez
 Saybolt LP, 127 Km 11.7 magas Arriba, 00656 Guayanilla, Puerto Rico
 Tel. 787-835-4784 FAX
 Website: www.corelab.com E-mail:rafael.rodriguez@corelab.com
 All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions
 SAIL4 STST V4 3.0.0 2026/01/27

Date: 01 Sep 2026 17:05
 Page 6 of 7

PUERTO RICO ELECTRIC (B/R) POWER AUTHORITY
American International Plaza
250 Muñoz Rivera Ave, Suite 1200
00918 SAN JUAN
Puerto Rico
Mr. M. Rios
YB-TANKINV-8-31-202



Job No 13101/00018950.0000/01/I/26
Report date 01 Sep 2026
Installation Yabucoa, Puerto Rico, PREPA Yabucoa Turbine Power Block

Shore tank End of Month Inventory for 8-31-26 / YABUCOA
Product NO2 Fuel Oil

Survey date: 31 Aug 2026

Certificate of Quantity

The undersigned Independent Saybolt Surveyor herewith declares that the quantity of product measured amounts to:

	Gross	Net
Cubic meters 60°F	2,389.843	2,389.843
Barrels 60°F	15,031.66	15,031.66
US Gallons 60°F	631,329.72	631,329.72
Metric Tons vac	2,016.893	2,016.893
Metric Tons air	2,014.331	2,014.331
Long Tons	1,982.519	1,982.519
Short Tons	2,220.421	2,220.421
Pounds	4,440,842.00	4,440,842.00

These quantities have been determined by Shore tank measurements taken by Manual measurements.

B/L API 60°F	36.00
B/L Density 15°C	0.8443
B/L Density 20°C	0.8408
B/L RD 60/60°F	0.8448

Criteria used

US Barrels 60°F to Cu m 60°F	MPMS 11.5 - Annex D	0.158987304
US Barrels 60°F to US Gallons 60°F	MPMS 11.5 - Annex D	42
Metric Tons Air to Metric Tons Vac	MPMS 11.5.3 - 4.5	1.001272285
Barrels 60°F to Metric Tons Air	MPMS 11.5.1 - 4.15	0.1340059363
Barrels 60°F to Long Tons	MPMS 11.5.1 - 4.12	0.1318895173
Long Tons to Short Tons	MPMS 11.5 - Annex D	1.12

Remark

Net via sediment density and water density

Signed by: Saybolt representative

Name:

Rank: Saybolt Inspector

All manual gauges, temp. and samples in accordance with API MPMS Ch. 3 for Manual Gauging, Ch. 7 for Temperature Measurement, Ch. 8 for Sampling, Ch. 12 for Calculations and Ch. 17 for Marine Measurement. Vol. corr. for temp. based on ASTM D 1250 or terminal/customer supplied tables, for which Saybolt can assume no responsibility. All Saybolt measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. Seq. (Greenhouse Gas Mandatory Reporting Rule)

Handled by: Rafael Rodriguez

Saybolt LP, 127 Km 11.7 magas Arriba, 00656 Guayanilla, Puerto Rico

Tel. 787-835-4784 FAX

Website: www.corelab.com E-mail: rafael.rodriguez@corelab.com

All our activities are carried out under Saybolt's terms and conditions, available at www.corelab.com/saybolt/terms-conditions

SAIB4 COQ V4.1.9.14 20240227

Date: 01 Sep 2026 17:05

Page 7 of 7